



# DM Sourcing Solutions

*Distributed by:*

**NELSON JAMESON**  
INC.

800-826-8302 nelsonjameson.com

## Material Data Sheet

Compound name	Description
<b>CF-F7819B</b>	<b>Black FKM 80 Shore A</b>

Properties	Unit	Typical value	Test Method
Hardness	Shore A	78	ASTM D2240
Tensile strength	Mpa	$\geq 8$	ASTM D412
Elongation at break	%	$\geq 250$	ASTM D412
Tear strength	KN/m	$\geq 20$	ASTM D624

### Temperature Range

-20 °C~+250°C