



## G80 Nitrile Chemical Resistant Gloves

Codes: 94445, 94446, 94447, 94448, 94449

### Product Information

Code	Size	Palm Width*(mm)	Length* (mm)	Weight (grams)	Quantity
94445	S	107	330	65	12 pairs/bag: 5 bags/case
94446	M	110	330	69	12 pairs/bag: 5 bags/case
94447	L	122	330	72	12 pairs/bag: 5 bags/case
94448	XL	134	330	78	12 pairs/bag: 5 bags/case
94449	XXL	139	330	86	12 pairs/bag: 5 bags/case

\*As measured by EN420:2003, ASTM D 4679; 4.0 AQL



Property	Description
General Description	Green nitrile, cotton flock lined, hand-specific, with reverse lozenge grip pattern on fingers and palm. Thickness 15mil, Length 13in
General Product Information	Product is classified Category III PPE according to EC Council Directive 89/686/EEC. Gloves are compliant with food contact regulations in the US and Europe. No silicone used during manufacturing process.

Standards	
Abrasion Resistance	EN 388: Level 4 (8000 cycles minimum)
Cut Resistance	EN 388: Level 1 (1.2 index minimum)
Tear Resistant	EN 388: Level 0 (< 10 N)
Puncture Resistance	EN 388: Level 1 (20 N minimum)

Testing Method	EN 388: 2003 - Abrasion, Cut, Tear, Puncture
----------------	--

Physical Property (0.65 AQL)	Result	Test Method
Watertightness <sup>1</sup>	Pass	ASTM D5151

<sup>1</sup> AQL levels defined according to ISO 2859-1 (current edition) Sampling Procedures for Inspection by Attributes.

Physical Property (4.0 AQL)	Target	Test Method
Thickness- Middle Finger	15.0 mil (0.38 mm)	ASTM D3767 / ASTM D4679
Thickness- Back of Palm	15.7 mil (0.40 mm)	ASTM D3767 / ASTM D4679
Tensile Strength- Before Aging	21 Mpa	ASTM D412 / ASTM D573
Tensile Strength- After Aging	16 Mpa	ASTM D412 / ASTM D573
Elongation- Before Aging	450%	ASTM D412 / ASTM D573
Elongation- After Aging	350%	ASTM D412 / ASTM D573

Distributed by:



800-826-8302 nelsonjameson.com

INC.

### Workmanship Requirement:

Gloves shall be made in accordance with reasonable industry practice with respect to defects, dirt and contamination. Gloves should be packaged as specified having described size and color in the appropriate quantity as listed. Shipping Case and inner packaging shall be labeled with product name, size, lot/batch and catalog number.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warranted for the following periods from end user's date of purchase (verified by valid sales receipt) (a) five years for Balder Technology auto darkening filters; (b) two years for all other auto darkening filters; and (c) one year for powered air purifying respirators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

©\*Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. © 2014 KCWW.



**Exceptional  
Workplaces**

Revised July 2014