

-  (EN) *Campylobacter* Enrichment Broth
-  (FR) *Campylobacter* Bouillon d'Enrichissement
-  (DE) *Campylobacter* Anreicherungsbouillon
-  (IT) Brodo di arricchimento per *Campylobacter*
-  (ES) Caldo de enriquecimiento para *Campylobacter*
-  (NL) *Campylobacter* verrijkingsbouillon
-  (SV) *Campylobacter* Enrichment Broth
-  (DA) *Campylobacter* Opformerings Bouillon
-  (NO) *Campylobacter* Oppformeringsbuljong
-  (FI) *Campylobakteeri* Rikastusliemi
-  (PT) Caldo de Enriquecimento *Campylobacter*
-  (EL) Καμπυλοβακτηρίδιο, Εμπλουτιστικό Διάλυμα
-  (PL) *Campylobacter* bulion wzbogacający
-  (RU) Среда обогащения для бактерий рода *Campylobacter*
-  (TR) *Campylobacter* Zenginleştirme Besiyeri
-  (JA) カンピロバクター属菌用前増菌ブロス
-  (ZH) 弯曲杆菌增菌肉汤
-  (TH) อาหารเลี้ยงเชื้อสำหรับเพิ่มจำนวนเชื้อแคมไพโลแบคเตอร์
-  (KO) 캄필로박터 증균 배양액
-  (ID) Larutan / Media Cair pengayaan *Campylobacter*



Product Instructions

Campylobacter Enrichment Broth

Description

The 3M™ *Campylobacter* Enrichment Broth is medium used for the selective enrichment of *Campylobacter*.

Applications

For Laboratory Use Only. Safety Data Sheet available.

Safety

The user should read, understand, and follow all safety information in the instructions for the 3M *Campylobacter* Enrichment Broth.

⚠ WARNING: Indicates a hazardous situation, which, if not avoided, could result in death or serious injury and/or property damage.

NOTICE: Indicates a potentially hazardous situation which, if not avoided, could result in property damage.

⚠ WARNING

To reduce the risks associated with exposure to chemicals and biohazards:

- The user must train its personnel in current proper testing techniques: for example, Good Laboratory Practices⁽¹⁾, ISO/IEC 17025⁽²⁾, or ISO 7218⁽³⁾.
- Perform pathogen testing in properly equipped laboratory under the control of trained personnel. Incubated enrichment media and equipment of surfaces that have come into contact with incubated enrichment media may contain pathogens at levels sufficient to cause risk to human health.
- Aseptically combine enrichment medium and sample
- Dispose of as biohazardous according to current local/regional/national/regulatory standards.

NOTICE

To reduce risk associated with false-negative results leading to the release of contaminated product

- Store the 3M *Campylobacter* Enrichment Broth as indicated on the packaged and in the product instructions
- Always use the 3M *Campylobacter* Enrichment Broth by the expiration date
- 3M *Campylobacter* Enrichment Broth should not be used for bird rinsing or transport media. Collect and transport samples following your established sample collection procedures.

User Responsibility

Users are responsible for familiarizing themselves with product instructions and information. Visit our website at www.3M.com/foodsafety, or contact your local 3M representative or distributor for more information.

When selecting a test method, it is important to recognize that external factors such as sampling methods, testing protocols, sample preparation, handling, laboratory technique and the sample itself may influence results.

It is the user's responsibility in selecting any test method or product to evaluate a sufficient number of samples with the appropriate matrices and microbial challenges to satisfy the user that the chosen test method meets the user's criteria.

It is also the user's responsibility to determine that any test methods and results meet its customers' and suppliers' requirements.

As with any test method, results obtained from use of any 3M Food Safety product do not constitute a guarantee of the quality of the matrices or processes tested.

Limitation of Warranties / Limited Remedy

EXCEPT AS EXPRESSLY STATED IN A LIMITED WARRANTY SECTION OF INDIVIDUAL PRODUCT PACKAGING, 3M DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. If any 3M Food Safety Product is defective, 3M or its authorized distributor will, at its option, replace or refund the purchase price of the product. These are your exclusive remedies. You must promptly notify 3M within sixty days of discovery of any suspected defects in a product and return



it to 3M. Please call Customer Service (1-800-328-1671 in the U.S.) or your official 3M Food Safety representative for a Returned Goods Authorization.

Limitation of 3M Liability

3M WILL NOT BE LIABLE FOR ANY LOSS OR DAMAGES, WHETHER DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING BUT NOT LIMITED TO LOST PROFITS. In no event shall 3M's liability under any legal theory exceed the purchase price of the product alleged to be defective.

Storage and Disposal

Storage: 4-8°C Hygroscopic. Keep container tightly closed to prevent exposure to air and moisture.

Disposal: Dispose of as biohazardous waste per local regulatory standards.

Instructions for Use

Preparation of medium: Suspend 41 grams of powder in 1 liter of **sterile** purified water at 20-30°C. Mix thoroughly. Final pH 7.0 ± 0.2 at 25°C. A different volume of medium may be prepared as needed.

Do not autoclave prepared medium before use.

Use the prepared medium within 24 hours of preparation. Store prepared broth at 2-8°C, protected from light if it will not be immediately used after preparation. Ensure media is tempered to 20-30°C before use.

References

1. U.S. Food and Drug Administration. Code of Federal Regulations, Title 21, Part 58. Good Laboratory Practice for Nonclinical Laboratory Studies.
2. ISO/IEC 17025. General requirements for the competence of testing and calibration laboratories.
3. ISO 7218. Microbiology of food and animal feeding stuffs – General rules for microbiological examination.
4. ISO 11133. Microbiology of food, animal feed and water – Preparation, production, storage and performance testing of culture media.

Explanation of symbols

www.3M.com/foodsafety/symbols

Distributed by:

NELSON JAMESON

800-826-8302 nelsonjameson.com

INC.