



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Wednesday, April 24, 2019** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/food/Listings.asp?Standard=002&Company=40000&>

NSF/ANSI 2 Food Equipment

Rubbermaid Commercial Products, LLC

3124 Valley Avenue
Winchester, VA 22601
United States
540-542-8360

Facility : # 1 USA

Bus Box[1]

3349
3350
3351

[1] Accepted for direct food contact as follows: in grey, light grey, natural, blue, yellow, and orange for all Food Contact types. Fuschia is only acceptable for usage with alcohol, aqueous, bakery products with no free fats or oils on surface, dairy - oil in water emulsions and dry solids.

Cutlery Bin

3362

Drain Tray

3314
3318

Ice Scovel, Two Handled Shovel

9F52

Lid Assembly

3305
3311

Measuring Cup (In Natural Clear)

3210 - .25 Qt.
3215 - .5 Qt.
3216 - 1 Qt.
3217 - 2 Qt.
3218 - 4 Qt.

RCP Freshworks™ Produce Saver

2052878
2052879
2052880
2052931
2052932
2052933
2052934
2052935
2052936
2052983

BOUNCER®**Pitcher[2] [3]**

2020983
3331 - 48 oz.
3334 - 60 oz.
3335 - 48 oz.
3336 - 32 oz.
3337 - 54 oz.
3338 - 60 oz.[11]
3339 - 72 oz.

[2] If use temperature equals or exceeds 150°F, this material is only acceptable for hot filled (i.e. non-cooking applications). If use temperature is below 150°F, there are no restrictions.

[3] Available in clear or gold tint.

[11] Facility of manufacture determined by date code. Contact Rubbermaid Foodservice Products.

Prosave Ingredient Container Combos

Brute Ingredient Container and Sliding Lid with 2 Cup Scoop

9G73

Brute Ingredient Container and Sliding Lid with 3 Cup Scoop

9G74

Brute Ingredient Container and Sliding Lid with 4 Cup Scoop

9G75

BRUTE® TANDEM DOLLY[4] [5]

2646

[4] For use with round and square Brute containers.

[5] Date coded on or after January 15, 2002.

CATERMAX™ INSULATED CARRIERS[6] [7]

9406 CaterMax™ 25 Single Top Loader Pan Carrier (23 Qt./21.8L)

9407 CaterMax™ 50 Four Pan Top Loader Carrier (55 Qt./52L)

9408 CaterMax™ 100 Six Pan End Loader Carrier (94 Qt./89L)

9408-88 CaterMax™ 100 Six Pan End Loader Carrier with Wheels (94 Qt./89L)

[6] Available in black or platinum.

[7] With a beginning date code of July 1, 2000.

COLANDER

3303

DRAIN TRAYS

(In Natural Amber) Temperature Range -40°F to 375°F

107P-00

113P-00

120P-00

127P-00

(In Natural Clear) Temperature Range -40°F to 212°F

107P-24

113P-24

120P-24

127P-24

2045317

FLIP LIDS for FOOD PAN BOXES

1842434

1842435

1842436

1842437

1842438

1842439

1842440

1842491

FOOD PANS (Natural Clear or Black) Temperature Range: -40°F to 212°F[8] [9]**Box**

100P - .63 Qt./ .6 L - LID 102P

101P - .92 Qt./ .87 L - LID 102P

104P - 1.1 Qt./1 L - LID 108P

105P - 1.7 Qt./1.6 L - LID 108P

106P - 2.5 Qt./2.3 L - LID 108P

110P - 1.7 Qt./1.6 L - LID 114P

111P - 2.5 Qt./2.4 L - LID 114P

112P - 4 Qt./3.7 L - LID 114P

116P - 2.6 Qt./2.5 L - LID 121P

117P - 4 Qt./3.8 L - LID 121P

118P - 5.4 Qt./5.1 L - LID 121P

119P - 7.4 Qt./7.1 L - LID 121P

123P - 4 Qt./3.8 L - LID 128P

124P - 6.4 Qt./6 L - LID 128P

125P - 9.3 Qt./8.8 L - LID 128P

126P - 11.4 Qt./10.8 L - LID 128P

130P - 9 Qt./8.5 L - LID 134P

131P - 13.8 Qt./13.1 L - LID 134P

132P - 20.6 Qt./19.5 L - LID 134P

133P - 27.1 Qt./25.7 L - LID 134P

139P - 3.6 Qt./3.4 L - LID 141P

140P - 5.5 Qt./5.2 L - LID 141P

2020795

2020796

2020797

2020800

2020952

2020953

2020954

2020957

2020960

2020971

2020974

2020975

2020976

2020979

2020980

2020981

2020984

2045316

9G6372 - Pan and Lid

LID 102P-23

LID 102P-86

LID 108P-23

LID 108P-86

LID 121P-86

[8] The lids are available with or without a spoon slot.

[9] This material cannot be used for packing or holding food during cooking.

FOOD PANS Temperature Range: -40°F to 375°F[8] [10]

Box

200P - .63 Qt./ .6 L - LID 202P

201P - .92 Qt./ .87 L - LID 202P

2020973

202P-23 Ninth Flat Peg Hole

204P - 1.1 Qt./1 L - LID 208P

205P - 1.7 Qt./1.6 L - LID 208P

206P - 2.5 Qt./2.3 L - LID 208P

208P-86 Sixth Flat Cover Notched

210P - 1.7 Qt./1.6 L - LID 214P

211P - 2.5 Qt./2.4 L - LID 214P

212P - 4 Qt./3.7 L - LID 214P

216P - 2.6 Qt./2.5 L - LID 221P

217P - 4 Qt./3.8 L - LID 221P
218P - 5.4 Qt./5.1 L - LID 221P
219P - 7.4 Qt./7.1 L - LID 221P
223P - 4 Qt./3.8 L - LID 228P
223P-86 Third Flat Cover Notched
224P - 6.4 Qt./6 L - LID 228P
225P - 9.3 Qt./8.8 L - LID 228P
226P - 11.4 Qt./10.8 L - LID 228P
230P - 9 Qt./8.5 L - LID 234P
231P - 13.8 Qt./13.1 L - LID 234P
232P - 20.6 Qt./19.5 L - LID 234P
233P - 27.1 Qt./25.7 L - LID 234P
234P-86 Full Flat Cover Notched
239P - 3.6 Qt./3.4 L - LID 241P
240P - 5.5 Qt./5.2 L - LID 241P
LID 228P-23
LID 228P-86 Half Flat Cover Notched

[8] The lids are available with or without a spoon slot.

[10] Available in natural amber or black.

FOOD PAN STORAGE LIDS (Teal and Gray)

Temperature Range: -40°F to 100°F

103P
109P
115P
122P
129P
135P

FOOD PAN STORAGE LIDS (White)

Temperature Range: -40°F to 100°F

142P
142P-81 - Ninth Soft Lid
143P
143P-81 - Sixth Size Soft Lid
144P
144P-81 - Fourth Size Soft Lid
145P
145P-81 - Third Size Soft Lid
146P
146P-81 - Half Size Soft Lid

147P

147P-81 - Full Size Soft Lid

FOOD STORAGE CONTAINERS (Natural White)

9F04 - 4 Qt.

9F05 - 6 Qt.

9F06 - 8 Qt.

9F07 - 12 Qt.

9F08 - 18 Qt.

9F09 - 22 Qt.

FOOD STORAGE BOXES (Natural Clear)

Box

3300 - 12.5 Gal. LID-3302

3300 - 18" x 26" x 9"

3301 - 21.5 Gal. LID-3302

3302 - Lid 18" x 26"

3304 - 5 Gal. LID-3310

3304 - 18" x 12" x 9"

3306 - 5 Gal. LID-3302

3306 - 18" x 26" x 3.5"

3307 - 2 Gal. LID-3310

3307 - 18" x 12" x 3.5"

3308 - 8.5 Gal. LID-3302

3308 - 18" x 26" x 6"

3309 - 3.5 Gal. LID-3310

3309 - 18" x 12" x 6"

3310 - Lid 18" x 12"

3328 - 16.6 Gal. LID-3302

3328 - 18" x 26" x 12"

FOOD STORAGE BOXES (Natural White)[11] [12] [13]

Box

3500 - 12.5 Gal. LID-3502

3501 - 21.5 Gal. LID-3502

3504 - 5 Gal. LID-3510

3506 - 5 Gal. LID-3502

3507 - 2 Gal. LID-3510

3508 - 8.5 Gal. LID-3502

3509 - 3.5 Gal. LID-3510

3528 - 16.5 Gal. LID-3502

[11] Facility of manufacture determined by date code. Contact Rubbermaid Foodservice Products.

[12] Not acceptable for packing or holding food during cooking.

[13] -48 Suffix for models with 'RFID' (Radio Frequency Identification).

FOOD STORAGE CONTAINERS (Clear)

2020798

2020799

2020955

2020956

2020958

2020977

2020982

6302 - 2 Qt.

6304 - 4 Qt.

6306 - 6 Qt.

6308 - 8QT

6312 - 12 Qt.

6318 - 18 Qt.

6322 - 22 Qt.

FOOD STORAGE LIDS

1980200

1980200

1980233

1980234

1980247

1980248

1980249

1980250

1980301

1980303

1980304

1980305

1980307

1980308

1980309

1980310

1980311

1980312

1980313

1980321

1980322

1980331

1980332
1980333
1980334
1980335
1980994
1980995
1980996
1980997
1980998
1980999
1981000
6509
6523

MAX SYSTEM™ RACKS AND CARTS (Black and Off White)[14]

3315 Max System™ Prep Cart (end loader)
3316 Max System™ Prep Cart (side loader)
3317 Max System™ Rack (end loader)
3319 Max System™ Rack (side loader)
3320 Max System™ Rack (end loader)
3324 Max System™ Rack (end loader)

[14] Cutting boards used on models are only acceptable for hot filled (i.e. non-cooking applications) temperatures up to 150°F.

MOBILE INGREDIENT BINS[15]

2020793
2020794
2020951
2020959
2020972
2020978
3600 - 88
3601 - 88
3602 - 88
3603 - 88
9G57
9G58
9G60

[15] Date coded on or after July 1, 1998.

PALLETOTE® STACK AND NEST FOOD STORAGE CONTAINERS AND LIDS[16] [17]**Base**

1721 - 1 5/6 cu. ft./ .04 cu. m.
1722 - 1 5/8 cu. ft./ .05 cu. m.
1731 - 2 cu. ft./ .06 cu. m.
1732 - 2 5/8 cu. ft./ .07 cu. m.

Lid

1720
1730

[16] With beginning date code of February 13, 2004.

[17] Available in blue, light grey or yellow.

PROSERVE™ RACKS (Black)[18]

9F97 ProServe™ Sheet Pan Rack

[18] With Pan Guard™ Locking System 26 runners.

RECTANGULAR BRUTE® TOTE CONTAINER & LID[19]

1836781 - 18.49 Gal./70 L
1869454 - 13.31 Gal./50 L
9S30 - 13.31 Gal./50 L
9S31 - 18.49 Gal./70 L

[19] Available in gray or white.

ROUND BRUTE® CONTAINERS, LIDS & DOLLY[20] [21] [22]**Container**

10 Gal. Brute
20 Gal. Brute
32 Gal. Brute
44 Gal. Brute
55 Gal. Brute

Dolly

2640

Lid

10 Gal. Brute Lid
20 Gal. Brute Lid
32 Gal. Brute Lid
44 Gal. Brute Lid
55 Gal. Brute Lid

- [20] In Standard 2 these containers are available in: Apple Blossom Green, black, blue, brown, burgundy, dark blue, dark green, dark navy, fuschia, gold, gray, green, light beige, light blue, light gray, natural, navy, orange, pink, purple, red, silver, teal green, white, or yellow. Fuschia, navy, and purple are only acceptable for usage with the following food contact types: alcohol less than 15%, aqueous, bakery products with no free fats or oils on surface, dairy - oil in water emulsions, and dry solids.
- [21] The production date is shown on each model. Models produced after January 1, 1999 are NSF Certified.
- [22] Available in straight wall or vented.

ROUND FOOD STORAGE CONTAINERS (Natural White & Light Gray)[23] [24]**Temperature Range: 0°F to 100°F**

5720 - 2 Qt./1.89 L
5721 - 4 Qt./3.8 L
5723 - 6 Qt./5.7L
5724 - 8 Qt./7.57 L
5726 - 12 Qt./11.4 L
5727 - 18 Qt./17.03 L
5728 - 22 Qt./20.82 L
5729 - 22 Qt./20.82 L (With Wire Bail Handle)

- [23] If use temperature equals or exceeds 150°F and is used in contact with alcoholic or fatty food types, this material is only acceptable for hot filled (i.e. non-cooking applications). If use temperature is below 150°F there are no restrictions.
- [24] This material can be used for packing or holding food during cooking. It is accepted for use with bakery prodcuts with free fats to a maximum of 150°F. All other food type contact is acceptable to a maximum of 212°F.

ROUND FOOD STORAGE CONTAINERS (Natural Clear)[23] [24]**Temperature Range: -40°F to 100°F**

5720-24 - 2 Qt./1.89 L
5721-24 - 4 Qt./3.8 L
5723-24 - 6 Qt./5.7L

5724-24 - 8 Qt./7.56 L
5726-24 - 12 Qt./11.4 L
5727-24 - 18 Qt./17.03 L
5728-24 - 22 Qt./20.82 L
5729-24 - 22 Qt./20.82 L (With Wire Bail Handle)

[23] If use temperature equals or exceeds 150°F and is used in contact with alcoholic or fatty food types, this material is only acceptable for hot filled (i.e. non-cooking applications). If use temperature is below 150°F there are no restrictions.

[24] This material can be used for packing or holding food during cooking. It is accepted for use with bakery products with free fats to a maximum of 150°F. All other food type contact is acceptable to a maximum of 212°F.

ROUND FOOD STORAGE LIDS

1980257
1980258
1980259
1980260
1980336
1980337
1980338
1980339
1980381
1980382
1980384
1980385
1980386
1980387
1980388
1980389
1980391
1980392
5722
5725
5730

SQUARE BRUTE® CONTAINERS, LIDS & DOLLY[20] [21]

Container

3526 - 28 Gal./105.98L Lid 3527 Lid 3529
3536 - 40 Gal./151.4 L Lid 3539

Dolly

3530

Dunnage Rack

4489

4490

4491

[20] In Standard 2 these containers are available in: Apple Blossom Green, black, blue, brown, burgundy, dark blue, dark green, dark navy, fuschia, gold, gray, green, light beige, light blue, light gray, natural, navy, orange, pink, purple, red, silver, teal green, white, or yellow. Fuschia, navy, and purple are only acceptable for usage with the following food contact types: alcohol less than 15%, aqueous, bakery products with no free fats or oils on surface, dairy - oil in water emulsions, and dry solids.

[21] The production date is shown on each model. Models produced after January 1, 1999 are NSF Certified.

UTILITY SCOOP

2882

2884

2886

Facility : # 1 Taiwan**Cutting Boards[1]**

1980407

1980408

1980409

1980410

1980411

1980412

1980413

[1] Cutting boards are available in blue, brown, green, purple, red, white and yellow.

Facility : # 2 China**Safety Storage Cart**

9G59

9G79

9G80

Facility : # 4 China**RCP Freshworks™ Produce Saver**

2052934

2052936

Prosave Ingredient Container Combos**Brute Ingredient Sliding Lid with 2 Cup Scoop**

9G76

Brute Ingredient Sliding Lid with 3 Cup Scoop

9G77

Brute Ingredient Sliding Lid with 4 Cup Scoop

9G78

Ingredient Bin Lid

9F77

9F78

9F79

Safety Ice Tote Lid

9F73

Safety Portioning Scoop

9G51

9G52

9G53

9G54

Safety Scoop with Hand Guard

9F50

Safety Storage Bin

9G57-00

9G58-00

Scoop

9F75

9F76

Small Shelf Ingredient Bin with Measuring Cup

9G60

Facility : # 8 USA**Safety Ice Tote**

9F53

Safety Ice Tote with Hook Adapter

9F54

Facility : Winfield, KS**Prosave Ingredient Container Combos****Brute Ingredient Container and Sliding Lid with 2 Cup Scoop**

9G73

Brute Ingredient Container and Sliding Lid with 3 Cup Scoop

9G74

Brute Ingredient Container and Sliding Lid with 4 Cup Scoop

9G75

BRUTE® TANDEM DOLLY[1] [2]

2646

[1] For use with Round or Square Brute Containers.

[2] Date coded on or after January 15, 2002 are NSF Certified.

RECTANGULAR BRUTE® TOTE CONTAINER & LID[3]

1836781

1869454

9S30

9S31

[3] Available in gray or white.

ROUND BRUTE® CONTAINERS, LIDS & DOLLY**Container[4] [5] [6]**

10 Gal. Brute
20 Gal. Brute
32 Gal. Brute
44 Gal. Brute
55 Gal. Brute

[4] In Standard 2, these containers and lids are available in Apple Blossom Green, black, blue, brown, burgundy, dark blue, dark green, dark navy, fuschia, gold, gray, green, light beige, light blue, light gray, natural, navy, orange, pink, purple, red, silver, teal green, white, or yellow. Fuschia, navy, and purple are only acceptable for usage with the following food contact types: alcohol less than 15%, aqueous, bakery products with no free fats or oils on surface, dairy - oil in water emulsions, and dry solids.

[5] The production date is shown on each model. Models produced after January 1, 1999 are NSF Certified.

[6] Available in straight wall or vented.

Dolly

2640

Lid

10 Gal. Brute Lid
20 Gal. Brute Lid
32 Gal. Brute Lid
44 Gal. Brute Lid
55 Gal. Brute Lid

SQUARE BRUTE® CONTAINERS, LIDS & DOLLY[4] [5]**Container**

3526 - 28 Gal./105.98L Lid 3527 Lid 3529
3536 - 40 Gal./151.4 L Lid 3539

Dolly

3530

[4] In Standard 2, these containers and lids are available in Apple Blossom Green, black, blue, brown, burgundy, dark blue, dark green, dark navy, fuschia, gold, gray, green, light beige, light blue, light gray, natural, navy, orange, pink, purple, red, silver, teal green, white, or yellow. Fuschia, navy, and purple are only acceptable for usage

with the following food contact types: alcohol less than 15%, aqueous, bakery products with no free fats or oils on surface, dairy - oil in water emulsions, and dry solids.

[5] The production date is shown on each model. Models produced after January 1, 1999 are NSF Certified.

Facility : Huizhou, China

Digital Product/High Temperature Holding/Low Temperature Holding Thermometer

THP302L, -58° to 302°F

Facility : Jiangmen City, Guangdong Province, China

COMPONENTS:

Ice Bin Tote Holder

9F56

Facility : Taizhou, Zhejiang, China

Cold Spoon/Spatula[1]

1901

1905

1906

1913

1933

1934

1938

9F23-72

[1] Accepted for all food contact types except:

- Dairy, W-O Emulsions
- Oils and fats

High Heat Scrapers/Spoon Shaped Spatulas

1962[2]

1963[3]

1964

1966

1967
1968
1980415[4]
1980417[4]
1980418[4]
1980419[4]
1980420[4]
1980421[4]
1981138[5]
1981140[5]
1981141[5]
1981142[5]
1981143[5]
1981144[5]

- [2] Packaging will be marked with additional model numbers to indicate color: 1981138, 1981140, 1981141, 1981142, 1981143, and 1981144.
- [3] Packaging will be marked with additional model numbers to indicate color: 1980415, 1980417, 1980418, 1980419, 1980420, and 1980421.
- [4] Certified models will be marked with model number 1963 on the handle.
- [5] Certified models will be marked with model number 1962 on the handle.

Facility : Zhejiang Province, China

Hot Holding Thermometer

THW180: 2 Inch Dial, 90°F to 180°F

Oven Thermometer

THO550: 1.74 Inch Dial, 100°F to 550°F/50°C to 300°C

Pocket Test Thermometer

THP220C: 1 Inch Dial, 0°F to 220°F

THP220DS: 1 Inch Dial, 0°F to 220°F

Refrigerator/Freezer Thermometer

R80DC: 2 Inch Dial, -20°F to 80°F/-30°C to 30°C

Facility : Penang, Malaysia

Spatula

1810892

1810893

3486319[1]

[1] Available in either black or white.

Number of matching Manufacturers is 1

Number of matching Products is 407

Processing time was 0 seconds