

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

**SECTION 1. IDENTIFICATION**

Product name : GOJO® E2 Foam Handwash with PCMX

**Manufacturer or supplier's details**

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500  
Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone number : CHEMTREC 1-800-424-9300  
CHEMTREC +1-703-527-3887: Outside USA & CANADA

**Recommended use of the chemical and restrictions on use**

Recommended use : Antibacterial Soap

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

- Hazard statements : H226 Flammable liquid and vapour.  
H318 Causes serious eye damage.
- Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P280 Wear eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	$\geq 5$ - $< 10$
Lauric Acid	143-07-7	$\geq 5$ - $< 10$
Ethanolamine	141-43-5	$\geq 1$ - $< 5$
Lactic Acid	79-33-4	$\geq 1$ - $< 5$
Chloroxylonol	88-04-0	$\geq 0.1$ - $< 1$

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention immediately if irritation develops and persists.

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

- |   |  |
|---|--|
| In case of eye contact                                      | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Seek medical advice. |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Rinse mouth with water.<br>Obtain medical attention.  |
| Most important symptoms and effects, both acute and delayed | : Causes serious eye damage.   |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection and use the recommended protective clothing   |

---

**SECTION 5. FIREFIGHTING MEASURES**

- |   |  |
|---|--|
| Suitable extinguishing media                  | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical   |
| Unsuitable extinguishing media                | : High volume water jet  |
| Specific hazards during firefighting          | : Do not use a solid water stream as it may scatter and spread fire.<br>Cool closed containers exposed to fire with water spray.<br>Flash back possible over considerable distance.<br>May form explosive mixtures in air.<br>Exposure to decomposition products may be a hazard to health.<br>Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> ) |
| Hazardous combustion products                 | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )  |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.  |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.   |

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |                       |                                      |
|-----------------------|--------------------------------------|
| Personal precautions, | : Use personal protective equipment. |
|-----------------------|--------------------------------------|


**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

protective equipment and  
emergency procedures

Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Material can create slippery conditions.

Environmental precautions

: Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for  
containment and cleaning up

: Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
Keep in suitable, closed containers for disposal.  
Clean contaminated floors and objects thoroughly while observing environmental regulations.

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

: For personal protection see section 8.  
Keep away from heat.  
Use with local exhaust ventilation.  
Avoid contact with eyes.

Conditions for safe storage

: Take measures to prevent the build up of electrostatic charge.  
Keep in properly labelled containers.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Store in accordance with the particular national regulations.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m <sup>3</sup>	NIOSH REL
		ST	6 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm 6 mg/m <sup>3</sup>	OSHA Z-1


**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

		STEL	6 ppm 15 mg/m <sup>3</sup>	OSHA P0
		TWA	3 ppm 8 mg/m <sup>3</sup>	OSHA P0

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection  
Remarks : No special protective equipment required.

Eye protection : Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : No special measures necessary provided product is used correctly.

Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Avoid contact with eyes.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : clear, colourless, light yellow

Odour : like soap

Odour Threshold : No data available

pH : 7.8 - 9.7, (20 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling range : < 100 °C

Flash point : 45.60 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : No data available

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.9998 g/cm3
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity	
Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

**Components:****Ethyl Alcohol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

**Lauric Acid:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.162 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Ethanolamine:**

Acute oral toxicity : LD50 (Rat): 1,515 mg/kg

Acute inhalation toxicity : Acute toxicity estimate : 11 mg/l  
Test atmosphere: vapour  
Method: Expert judgement  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit): 1,025 mg/kg

**Lactic Acid:**

Acute oral toxicity : LD50 (Rat, female): 3,543 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7.94 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Chloroxylenol:**

Acute oral toxicity : Acute toxicity estimate : 500 mg/kg  
Method: Expert judgement

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute inhalation toxicity : LC50 (Rat): > 6.29 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Assessment: Not irritating when applied to human skin.

Result: No skin irritation

**Components:****Ethyl Alcohol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

**Lauric Acid:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

**Ethanolamine:**

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

**Lactic Acid:**

Species: Rabbit

Result: Skin irritation

**Chloroxylenol:**

Result: Skin irritation

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Ethyl Alcohol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

**Lauric Acid:**

Species: Rabbit

Result: Irreversible effects on the eye

Method: OECD Test Guideline 405

**Ethanolamine:**

Species: Rabbit



**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

Result: Irreversible effects on the eye

**Lactic Acid:**

Species: Chicken eye

Result: Irreversible effects on the eye

**Chloroxylenol:**

Result: Irreversible effects on the eye

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Product:**

Result: Does not cause skin sensitisation.

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

**Components:****Ethyl Alcohol:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse

Result: negative

**Lauric Acid:**

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

**Ethanolamine:**

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

**Lactic Acid:**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

**Chloroxylenol:**

Assessment: Probability or evidence of skin sensitisation in humans

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ethyl Alcohol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

Test species: Mouse  
Application Route: Ingestion  
Result: negative

**Lauric Acid:**

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Ethanolamine:**

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Test species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

**Lactic Acid:**

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Result: negative  
Remarks: Based on data from similar materials

: Test Type: Bacterial reverse mutation assay (AMES)  
Metabolic activation: with and without metabolic activation  
Result: negative

**Chloroxylenol:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Lactic Acid:**

Species: Rat  
Application Route: Ingestion  
Exposure time: 2 Years  
Result: negative  
Remarks: Based on data from similar materials

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Ethyl Alcohol:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

**Lauric Acid:**

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the re production/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Combined repeated dose toxicity study with the re production/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

**Ethanolamine:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****Ethanolamine:**

Assessment: May cause respiratory irritation.

**Lactic Acid:**

Assessment: May cause respiratory irritation.

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Ethanolamine:**

Exposure routes: inhalation (dust/mist/fume)

Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

**Repeated dose toxicity****Components:****Ethyl Alcohol:**

Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

**Lauric Acid:**

Species: Rat

NOAEL: 10,000 mg/kg

Application Route: Ingestion

Exposure time: 18 w

**Ethanolamine:**

Species: Rat

NOAEL: 150 mg/m<sup>3</sup>

Application Route: inhalation (dust/mist/fume)

Exposure time: 28 d

**Lactic Acid:**

Species: Rat

NOAEL:  $\geq$  886 mg/kg

Application Route: Skin contact

Exposure time: 13 w

**Chloroxylenol:**

Species: Rabbit

LOAEL: 180 mg/kg

Application Route: Skin contact

Exposure time: 90 d

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Ethyl Alcohol:**

Toxicity to fish

: LC<sub>50</sub> (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h


**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 ( <i>Chlorella vulgaris</i> (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC ( <i>Daphnia magna</i> (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 ( <i>Photobacterium phosphoreum</i> ): 32.1 mg/l Exposure time: 0.25 h
<b>Lauric Acid:</b>	
Toxicity to fish	: LC50 ( <i>Oryzias latipes</i> (Japanese medaka)): 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: EC50 ( <i>Selenastrum capricornutum</i> (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility  NOEC ( <i>Selenastrum capricornutum</i> (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC ( <i>Danio rerio</i> (zebra fish)): 2 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC ( <i>Daphnia magna</i> (Water flea)): 0.47 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to bacteria	: EC10 ( <i>Pseudomonas putida</i> ): > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209
<b>Ethanolamine:</b>	
Toxicity to fish	: LC50 ( <i>Cyprinus carpio</i> (Carp)): 349 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): 65 mg/l Exposure time: 48 h
Toxicity to algae	: ErC50 ( <i>Selenastrum capricornutum</i> (green algae)): 2.8 mg/l Exposure time: 72 h  NOEC ( <i>Scenedesmus capricornutum</i> (fresh water algae)): 1 mg/l

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l  
Exposure time: 41 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.85 mg/l  
Exposure time: 21 d

Toxicity to bacteria : EC50 (Pseudomonas putida): 110 mg/l  
Exposure time: 17 h

**Lactic Acid:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 250 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Selenastrum capricornutum (fresh water algae)): 3.5 g/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (fresh water algae)): 1.9 g/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Chloroxylonol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.7 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

**Persistence and degradability****Components:****Ethyl Alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

**Lauric Acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 86 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

**Ethanolamine:**

Biodegradability

: Result: Readily biodegradable.  
Biodegradation: > 90 %  
Exposure time: 21 d

**Lactic Acid:**

Biodegradability

: Result: Not readily biodegradable.  
Biodegradation: 67 %  
Exposure time: 20 d

**Bioaccumulative potential****Components:****Ethyl Alcohol:**

Partition coefficient: n-octanol/water

: log Pow: -0.35

**Lauric Acid:**

Bioaccumulation

: Species: Fish  
Bioconcentration factor (BCF): 234 - 288  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water

: Pow: 4.6

**Ethanolamine:**

Partition coefficient: n-octanol/water

: log Pow: -1.91

**Lactic Acid:**

Partition coefficient: n-octanol/water

: log Pow: -0.6

**Chloroxylenol:**

Partition coefficient: n-octanol/water

: log Pow: 3.27

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation

40 CFR Protection of Environment; Part 82 Protection of  
Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a  
Class I or Class II ODS as defined by the U.S. Clean Air Act  
Section 602 (40 CFR 82, Subpt. A, App.A + B).

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : Dispose of in accordance with local regulations.
- Contaminated packaging : Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION****International Regulation****IATA-DGR**

- UN/ID No. : UN 1993
- Proper shipping name : Flammable liquid, n.o.s.  
(Ethanol)
- Class : 3
- Packing group : III
- Packing instruction (cargo aircraft) : 366
- Packing instruction (passenger aircraft) : 355

**IMDG-Code**

- UN number : UN 1993
- Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Ethanol)
- Class : 3
- Packing group : III
- Labels : 3
- EmS Code : F-E, S-E
- Marine pollutant : no

**National Regulations****49 CFR**

- UN/ID/NA number : NA 1993
- Proper shipping name : Combustible Liquid, n.o.s.  
(Ethanol)
- Class : CBL
- Packing group : III
- ERG Code : 128
- Marine pollutant : no
- Remarks : Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act**




**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM

Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	8.81 %
Ethanolamine	141-43-5	3.833 %
Dipropylene Glycol	25265-71-8	3 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

**Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**
**Massachusetts Right To Know**

Ethyl Alcohol	64-17-5	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Sodium Metabisulfite	7681-57-4	0 - 0.1 %

**Pennsylvania Right To Know**

Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	5 - 10 %
Lauric Acid	143-07-7	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Dipropylene Glycol	25265-71-8	1 - 5 %
Isopropyl Alcohol	67-63-0	0.1 - 1 %
Sodium Metabisulfite	7681-57-4	0 - 0.1 %

**New Jersey Right To Know**

Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	5 - 10 %
Lauric Acid	143-07-7	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Dipropylene Glycol	25265-71-8	1 - 5 %

**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

**California Prop 65**


This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA	: On TSCA Inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL.
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**SECTION 16. OTHER INFORMATION****Further information****NFPA:****HMIS III:**

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 03/19/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release



**GOJO® E2 Foam Handwash with PCMX**

Version 1.1

SDS Number: 400000000156

Revision Date: 03/19/2019

and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.