

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product identifier****Product name** SULFURIC ACID 1:1**Other means of identification****Product Code(s)** 6141**UN-No** 1830**Recommended use of the chemical and restrictions on use****Recommended Use** Laboratory chemicals. Use as a laboratory reagent. Industrial (not for food or food contact use).**Uses advised against** This product should not be used in applications other than those listed**Details of the supplier of the safety data sheet**LaMotte Company, Inc.
802 Washington Avenue
P.O. Box 329
Chestertown, MD 21620 USA
T 410-778-3100
F 410-778-9748**Emergency telephone numbers**

(CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician immediately.

| | |
|--|--|
| Inhalation | IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. |
| Ingestion | Do NOT induce vomiting. Drink plenty of water. Clean mouth with water. Call a physician immediately. Never give anything by mouth to an unconscious person. |
| <u>Self-protection of the first aider</u> | Use personal protection recommended in Section 8. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical. Carbon dioxide (CO₂). DO NOT USE WATER.

Specific hazards arising from the chemical

React vigorously and/or explosively with water.

Hazardous combustion products

Contact with metals may evolve flammable hydrogen gas.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|----------------------------------|--|
| Personal precautions | Use personal protection recommended in Section 8. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. |
| Environmental precautions | See Section 12 for additional Ecological Information. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). |
| Methods for cleaning up | Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away traces with water. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|-----------------|--|
| Handling | Handle in accordance with good industrial hygiene and safety practice. Do not taste or swallow. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. |
|-----------------|--|

Conditions for safe storage, including any incompatibilities

| | |
|-----------------|--|
| Storage: | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children. |
|-----------------|--|

Incompatible Products Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------|---|--|--|
| Sulfuric acid 7664-93-9 | TWA: 0.2 mg/m ³ thoracic particulate matter | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 15 mg/m ³ TWA: 1 mg/m ³ |

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and body protection Gloves & Lab Coat. Wear protective gloves/clothing. Impervious clothing. Rubber gloves. Nitrile rubber.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|------------------|-------------|----------|
| Physical state | liquid | Odor | Odorless |
| Appearance | Clear, colorless | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|---------------------------------------|--------------------------|-------------------------|
| pH | <1 | |
| Melting point / freezing point | No information available | |
| Boiling point / boiling range | <100 °C / 214 °F | |
| Flash point | Not Applicable | |
| Evaporation rate | | |
| Flammability (solid, gas) | No information available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | No information available | |
| Lower flammability limit: | No information available | |
| Vapor pressure | No information available | |
| Vapor density | No information available | |
| Specific gravity | ~1.57 | |
| Water solubility | No information available | |
| Solubility in other solvents | No information available | |
| Partition coefficient | No information available | |
| Autoignition temperature | No information available | |
| Decomposition temperature | No information available | |
| Kinematic viscosity | No information available | |
| Dynamic viscosity | No information available | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |

Other Information

Softening point No information available

| | |
|-------------------------|--------------------------|
| Molecular weight | No information available |
| VOC Content (%) | No information available |
| Density | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|---|
| Stability | Stable under recommended storage conditions. |
| Hazardous Reactions | Reacts violently with water. Contact with metals may evolve flammable hydrogen gas. |
| Hazardous polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Excessive heat. Incompatible Products. Protect from light. |
| Incompatible materials | Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde. |
| Hazardous decomposition products | Hydrogen gas. Sulfur oxides (SOx). |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Component identification

| Chemical name | ATEmix (oral) | ATEmix (dermal) | Inhalation LC50 |
|----------------------------|----------------------|-----------------|--|
| Sulfuric acid 7664-93-9 | = 2140 mg/kg (Rat) | Not Established | 85 - 103 mg/m ³ (Rat) 1 h |

Information on toxicological effects

Carcinogenicity IARC has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to occupational exposures to these mists. (Steel pickling / the manufacture of isopropyl alcohol by strong-acid process that uses sulfuric acid).

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------------|-------|---------|-------|------|
| Sulfuric acid 7664-93-9 | A2 | Group 1 | Known | X |

Chronic toxicity Chronic exposure to corrosive mists or vapors may cause erosion of the teeth. Chronic exposure to mists containing sulfuric acid is a cancer hazard.

ATEmix (oral) 3,344.00 mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical name | Toxicity to Algae | Toxicity to Fish | Daphnia Magna (Water Flea) |
|----------------------------|-------------------|---|-------------------------------------|
| Sulfuric acid 7664-93-9 | Not Established | 500: 96 h Brachydanio rerio mg/L LC50 static | 29: 24 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

| Chemical name | Log Pow |
|----------------------------|-----------------|
| Sulfuric acid 7664-93-9 | Not Established |

13. DISPOSAL CONSIDERATIONS

Disposal Methods Dispose of contents/containers in accordance with local regulations. When in compliance with local regulations, neutralize reagent to pH 7 with dilute base (NaOH/soda ash/slaked lime), then rinse to drain with excess water.

Contaminated packaging Do not reuse empty containers.

| Chemical name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|----------------------------|-----------------|--------------------------|------------------------|------------------------|
| Sulfuric acid 7664-93-9 | Not Established | - | Not Established | Not Established |

| Chemical name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|----------------------------|--------------------------------------|------------------------|------------------------|------------------------|
| Sulfuric acid 7664-93-9 | Not Established | Not Established | Not Established | Not Established |

| Chemical name | California Hazardous Waste Status |
|----------------------------|-----------------------------------|
| Sulfuric acid 7664-93-9 | Toxic Corrosive |

14. TRANSPORT INFORMATION

DOT

Proper shipping name SULFURIC ACID (> 51%ACID)
UN-No 1830
Hazard Class 8
Packing group II
Reportable Quantity (RQ) 1000

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

IATA

UN-No 1830
Proper shipping name SULPHURIC ACID (<51% ACID)
Hazard Class 8
Packing group II

IMDG/IMO

UN-No 1830
Proper shipping name SULPHURIC ACID (<51% ACID)
Hazard Class 8
Packing group II

RID

UN-No 1830
Proper shipping name SULPHURIC ACID (<51% ACID)
Hazard Class 8
Packing group II

ADR

UN-No 1830
Proper shipping name SULPHURIC ACID (<51% ACID)
Hazard Class 8
Packing group II

ADN

Not regulated

15. REGULATORY INFORMATION**International Inventories**

| | |
|----------------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Complies |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | SARA 313 - Threshold Values % |
|----------------------------|-------------------------------|
| Sulfuric acid 7664-93-9 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | Yes |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sulfuric acid 7664-93-9 | 1000 lb | Not Established | Not Established | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | RQ |
|----------------------------|--------------------------|----------------|---|
| Sulfuric acid 7664-93-9 | 1000 lb | 1000 lb | RQ 1000 lb final RQ RQ 454 kg final RQ |

US State Regulations**California Proposition 65**

California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to occupational exposures to these mists generated during manufacturing processes which sulfuric acid is used or produced.

| Chemical name | California Proposition 65 |
|---------------|---------------------------|
| Sulfuric acid | Carcinogen |

7664-93-9

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------|------------|---------------|--------------|
| Sulfuric acid 7664-93-9 | X | X | X |

CPSC (Consumer Product Safety Commission) - Specially Regulated Substances

| Chemical name | CPSC (Consumer Product Safety Commission) - Specially Regulated Substances |
|----------------------------|--|
| Sulfuric acid 7664-93-9 | Add POISON to label, 16 CFR 1500.129 |

16. OTHER INFORMATION**NFPA**

Health hazard 3


Physical and Chemical**HMIS**

Health hazard 3

Flammability 0

Stability 2

Hazards W



Prepared by

Regulatory Affairs Department

Issuing Date

Dec-19-2016

Reason for revision

SDS sections updated 1 14

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet**4.1. Description of first aid measures****Inhalation**

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed**Symptoms**

No information available.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.