

3M™ SecureFit™ 200 Series SF204SGAF-BLU, Blue Temples, Light Blue Scotchgard™ Anti-Fog Lens, 20 EA/Case

UPC #: 50051131278467, 3M Catalog #: SF204SGAF-BLU, 3M Stock #: 7100180046, Previous 3M Stock #: 70071731601



- 3M's innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size of the wearer's head.
- Curved temples apply pressure to the less sensitive back of the head, instead of the temples, achieving a comfortable fit even during rapid head movement.
- Lightweight design
- Molded nose bridge
- Choose from models with anti-scratch, anti-fog/anti-scratch or optional 3M™ Scotchgard™ Protector Anti-Fog Coating
- Models with blue accents help make eyewear more visible in food preparation/processing areas
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm
- Meets the Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard

Specifications

Details

Anti Fog Lens	Yes
Brand	SecureFit™
Case Quantity	20
Class	Economy
Comfort Features	3M™ Pressure Diffusion Temple Technology
ETIM Class 8.0	EC002098
Frame Color	Blue
Frame Material	Plastic
Frame Style	Frameless
Hard Coat Lens	No
Lens Coating	Anti-Scratch & Anti-Fog
Lens Color	Blue
Lens Marking	3M Z87+ U6
Lens Material	Polycarbonate
Product Series	200
Product Type	Safety Glasses
Recommended Application	Food and Beverage Manufacturing
Recommended Industry	Food & Beverage Food and Beverage Manufacturing Food Processing Food Safety
Seal Type	No Seal
Smallest Saleable Unit*	Each
Specifications Met	ANSI Z87.1
Temple Color	Blue
Temple Style	3M Pressure Diffusion Temple
UV Protection	99.9%

Dimensions and Classifications

Case Gross Weight	1.312 US pound
Case Height	5.1 Inch
Case Length	13.5 Inch
Case Width	6.5 Inch
Each Gross Weight*	0.066 US pound
Pallet Gross Weight	255.7 US pound
Pallet Height	1.3 Yard
Pallet Length	1.3 Yard
Pallet Width	1.1 Yard
ECCN	EAR99
Harmonized Code	9004900010

Packaging and Identifications

Country of Origin	Taiwan
Country of Origin Disclaimer	This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a different Country of Origin than indicated. These determinations are specific to 3M ID.
Primary Shipping Location	DeKalb, ILLINOIS
Primary Shipping Location Disclaimer	The Primary Shipping Location may not be the final source of the product
UPC/EAN - Consumer (Each)*	00051131278462
UPC/EAN – Shipper (Case)	50051131278467
per Case	20 Each
per Pallet	3360 Each

Regulatory

EU RoHS	<p>This product does not exceed the maximum concentration values (MCVs) for phthalates set under EU Directive 2011/65/EU (RoHS recast/RoHS 2), as amended by EU 2015/863, which applies to finished EEE after July 22, 2019 for Category 1-7, 10-11 products and after July 22, 2021 for Category 8 and 9 products. This means that each of the homogeneous materials within this product does not exceed the MCV of 0.1% (by weight) for each of the following phthalates: DEHP, BBP, DBP, and DIBP.</p>
EU REACH	<p>This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects the substances on the candidate SVHC list, effective January 2021.</p> <p>This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects the substances on the candidate SVHC list, effective June 2020.</p> <p>This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects the substances on the candidate SVHC list, effective January 2020.</p> <p>This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects the substances on the candidate SVHC list, effective July 2021.</p> <p>This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects the substances on the candidate SVHC list, effective July 2019.</p> <p>This product, including any article that the product is composed of, does not contain at greater than 0.1% by weight a Substance of Very High Concern (SVHC) substance identified according to Article 59 of REACH. This declaration reflects the substances on the candidate SVHC list, effective January 2022.</p>

Transportation

Transport Protective Service	PROTECTIVE SERVICE NOT REQUIRED
NMFC Item	156600
NMFC Sub	00
NMFC Class	000.0
Flash Point	No Flash Point

United States Department of Transportation - Ground (US DOT, 49 CFR)	NOT REGULATED
United States Department of Transportation - Vessel (US DOT, 49 CFR)	NOT REGULATED
International Air Transport Association (IATA)	NOT REGULATED
International Maritime Organization (IMO)	NOT REGULATED
Transportation Disclaimer	These transportation classifications are provided as a customer service. AS THE SHIPPER YOU REMAIN RESPONSIBLE FOR COMPLYING WITH ALL THE APPLICABLE LAWS AND REGULATIONS, INCLUDING PROPER TRANSPORTATION CLASSIFICATION AND PACKAGING. 3M's transportation classifications are based on product formulations, packaging, 3M policies and 3M's understanding of applicable current regulations and is valid for the original 3M package only. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and NOT THE PACKAGING, LABELING OR MARKING REQUIREMENTS. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.
Air Shipping Available	Yes
Dry Ice Shipping Required	No

Details

- 3M's innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size of the wearer's head.
- Curved temples apply pressure to the less sensitive back of the head, instead of the temples, achieving a comfortable fit even during rapid head movement.
- Lightweight design
- Molded nose bridge
- Choose from models with anti-scratch, anti-fog/anti-scratch or optional 3M™ Scotchgard™ Protector Anti-Fog Coating
- Models with blue accents help make eyewear more visible in food preparation/processing areas
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm
- Meets the Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard

3M™ SecureFit™ Safety Glasses 200 Series offers lightweight comfort at an affordable price. Featuring 3M™ Pressure Diffusion Temple Technology, 3M's innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size and shape of the wearer's head.

