

3M™ SecureFit™ 200 Series SF201SGAF-BLU, Blue Temples, Clear Scotchgard™ Anti-Fog Lens, 20 EA/Case

UPC Code: 50051131278436, 3M Catalog #: SF201SGAF-BLU, 3M Stock#: 7100180044, Previous 3M Stock #:
70071731577



- Blue temples can be more visible if found in food preparation and processing areas.
- Features proprietary 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear for a secure, comfortable fit
- Applied on both sides of the lens, 3M™ Scotchgard™ Anti-fog is a long-lasting coating that provides better fog and scratch resistance when compared to traditional anti-fog coatings. *When tested using EN168 Resistance to Fogging of Oculars and Resistance to Surface Damage by Fine Particules test methods.
- Molded nose bridge

Specifications

Details

Recommended Industry	Food & Beverage Food and Beverage Manufacturing Food Processing Food Safety
Lens Coating	Anti-fog Anti-scratch
Size	One size fits most
Eyewear Range	Classic

Standards/Approvals	ANSI Z87.1
Product Series	200
SGBG New Product	Yes
Temple Style	3M Pressure Diffusion Temple Technology
Brand	SecureFit™
Frame Color	Clear
UV Protection	99.9%
Lens Material	Polycarbonate
Product Type	Safety Glasses
Frame Material	Plastic
Class	Economy
Lens Marking	3M Z87+ U6
Temple Color	Blue

Dimensions and Classifications

Case Length	24.30 Centimeter
Case Width	16.50 Centimeter
Case Height	13.00 Centimeter
Case Volume	5,212.35 cubic Centimeter
Case Gross Weight	594.206 Gram
Pallet Length	1.22 Meter
Pallet Width	1.02 Meter
Pallet Height	1.17 Meter
Pallet Volume	1.456 cubic Meter
Pallet Gross Weight	116.00 Kilogram
Case Length	9.60 Inch
Case Width	6.50 Inch
Case Height	5.10 Inch
Case Gross Weight	594.206 Gram
Pallet Length	1.30 Yard
Pallet Width	1.10 Yard
Pallet Height	1.30 Yard
Pallet Gross Weight	255.70 US pound

Packaging and Identifications

Country of Origin Taiwan

Country of Origin Disclaimer This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a different Country of Origin than indicated. These determinations are specific to 3M ID.

Primary Shipping Location DeKalb, ILLINOIS

Primary Shipping Location Disclaimer * The Primary Shipping Location may not be the final source of the product

UPC/EAN – Shipper (Case)	50051131278436
UPC/EAN - Consumer (Each)	00051131278431
per Case	20 Each
per Pallet	3360 Each

Details

- Blue temples can be more visible if found in food preparation and processing areas.
- Features proprietary 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear for a secure, comfortable fit
- Applied on both sides of the lens, 3M™ Scotchgard™ Anti-fog is a long-lasting coating that provides better fog and scratch resistance when compared to traditional anti-fog coatings. *When tested using EN168 Resistance to Fogging of Oculars and Resistance to Surface Damage by Fine Particules test methods.
- Molded nose bridge
- Polycarbonate lens absorbs 99.9% UVA & UVB and meet the requirements of ANSI Z87.1- 2015 Standard as an Impact Rated spectacle

the 3M™ SecureFit™ 200 Series with Scotchgard™ Anti-fog provides users with blue temples and lenses to help make eyewear more visible in food preparation and processing areas as well as Scotchgard™ Anti-fog coating for superior anti-fog protection.

This model features 3M™ Scotchgard™ Anti-fog coating which lasts longer than traditional anti-fog coatings*, helping to increase eyewear performance in wet and steamy environments. Scotchgard™ Anti-fog coating provides both fog and abrasion resistance. *When tested using EN168 Resistance to Fogging of Oculars and Resistance to Surface Damage by Fine Particles test methods.

Resources

RDS

- [SecureFit™ 200](#)