



Celebrating over
60 years of service

WORLDWIDE SERVICE TO EDUCATION • HEALTH • AGRICULTURE • INDUSTRY

901 JANESVILLE AVENUE FORT ATKINSON, WISCONSIN 53538-0901

PHONE 920-563-2446 FAX 920-563-8296

www.eNASCO.com E-MAIL info@eNASCO.com

WHIRL-PAK® Sterilization & Shelf Life Information

Whirl-Pak® bags are sterilized with ethylene oxide gas. Each load goes through a preconditioning, gas injection, and aeration cycle, taking four to five days to complete.

Parametric Release Processing is used to verify sterility of the bags. Parametric release involves the addition of direct monitoring of ethylene oxide concentration and humidity within the sterilization chamber during processing. All sterilization records are reviewed to verify that the appropriate sterilization process was utilized and that all required parameters for sterilization were achieved. The sterilization facility is certified to ISO 13485:2003.

The shelf life for Whirl-Pak® bags should be at least 5 years if stored in its original or similar carton in ambient conditions. As long as the liner bag is not opened or damaged and stored in a clean, dry environment, sterility should not be compromised. Like any other sterilized laboratory product, care must be taken when storing and handling Whirl-Pak® bags.

A handwritten signature in black ink, appearing to read "J. Romenesko".

Jim Romenesko
Director of Whirl-Pak® Sales
Nasco
Tel. +1 920 568 5536
www.whirl-pak.com
jromenesko@enasco.com