

41984

## Washing Brush with short handle, 10.63" Soft, Red



With an ergonomic short handle and very soft bristles that retain water and chemical to improve cleaning efficacy, this Washing Brush is perfect for cleaning fragile surfaces such as glass and Perspex. It is also suitable for coating of e.g. cheese with wax.

# Technical Data

Item Number	41984
Visible bristle length	1,81 "
Material	Polypropylene Polyester Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Design Registration No.	EU 002025700-0001-3
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs.
Quantity Per Layer (Pallet)	80 Pcs.
Length	10,63 "
Width	2,76 "
Height	3,54 "
Net Weight	0,4938 lbs
Tare plastic packaging	0,01 lbs
Tare Cardboard	0,14 lbs
Tare Total	0,16 lbs
Gross Weight	0,6495 lbs
Cubic Feet	0,0601 ft3
Recommended sterilisation temperature (Autoclave)	249,8 °F
Max. cleaning temperature (Dishwasher)	199,4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10,5 pH
GTIN-13 Number	5705022030718
GTIN-14 Number (Box quantity)	15705028030764
Customs Tariff No.	96039099
Country of Origin	Denmark

<b>Box length</b>	14,96 "
<b>Box Width</b>	11,42 "
<b>Box Height</b>	7,09 "

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.

