



Safety Data Sheet

Revision Date: 04/12/19

www.restek.com

2 Letter ISO country code/language code: US/EN

1. IDENTIFICATION

Catalog Number / Product Name: 35077 / Food Industry FAME Mix
Company: Restek Corporation
Address: 110 Benner Circle
Bellefonte, Pa. 16823
Phone#: 814-353-1300
Fax#: 814-353-1309
Emergency#: 800-424-9300 (CHEMTREC)
703-527-3887 (Outside the US)
Email: www.restek.com
Revision Number: 11
Intended use: For Laboratory use only

2. HAZARD(S) IDENTIFICATION

Emergency Overview:



GHS Hazard
Symbols:

GHS Classification: Carcinogenicity Category 2

GHS Signal Word: Warning

GHS Hazard: Suspected of causing cancer.

GHS Precautions:

Safety Precautions: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container according to section 13 of the SDS.

Single Exposure Target Organs: No data available

Repeated Exposure Target Organs:

Repeated Exposure Target Organs: No data available

3. COMPOSITION / INFORMATION ON INGREDIENT

Chemical Name	CAS #	EINEC #	% Composition
Dichloromethane	75-09-2	200-838-9	97
methyl palmitate	112-39-0	203-966-3	0.18
methyl myristate	124-10-7	204-680-1	0.12

methyl caproate (hexanoate)	106-70-7	203-425-1	0.12
methyl behenate	929-77-1	213-207-8	0.12
methyl butyrate	623-42-7	210-792-1	0.12
methyl decanoate	110-42-9	203-766-6	0.12
methyl laurate	111-82-0	203-911-3	0.12
methyl octanoate	111-11-5	203-835-0	0.12
methyl lignocerate	2442-49-1	219-475-2	0.12
methyl arachidate	1120-28-1	214-304-8	0.12
methyl oleate (cis-9)	UNKNOWN		0.12
methyl stearate	112-61-8	203-990-4	0.12
methyl heptadecanoate	1731-92-6	217-055-3	0.06
methyl tricosanoate	UNKNOWN		0.06
methyl docosahexaenoate (cis-4,7,10,13,16,19)	UNKNOWN		0.06
methyl pentadecenoate (cis-10)	UNKNOWN		0.06
methyl eicosatrienoate (cis-8,11,14)	UNKNOWN		0.06
methyl palmitoleate	1120-25-8	214-303-2	0.06
methyl linoelaidate (trans-9,12)	UNKNOWN		0.06
methyl undecanoate	1731-86-8	217-053-2	0.06
methyl tridecanoate	1731-88-0	217-054-8	0.06
methyl myristoleate (cis-9)	UNKNOWN		0.06
methyl eicosatrienoate (cis-11,14,17)	UNKNOWN		0.06
methyl arachidonate (cis-5,8,11,14)	UNKNOWN		0.06
methyl docosadienoate (cis-13,16)	UNKNOWN		0.06
methyl heptadecenoate (cis-10)	75190-82-8		0.06
methyl linoleate (cis-9,12)	UNKNOWN		0.06
methyl gamma-linolenate (cis-6,9,12)	UNKNOWN		0.06
methyl eicosenoate (cis-11)	UNKNOWN		0.06
methyl nervonate (cis-15)	UNKNOWN		0.06
methyl eicosapentaenoate (cis-5,8,11,14,17)	UNKNOWN		0.06
methyl linolenate (cis-9,12,15)	UNKNOWN		0.06
methyl eicosadienoate (cis-11,14)	UNKNOWN		0.06
methyl heneicosanoate	6064-90-0	227-994-0	0.06
methyl elaidate (trans-9)	UNKNOWN		0.06
methyl erucate (cis-13)	UNKNOWN		0.06

4. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Serious harm (damage) may result if treatment is delayed. Continue to flush eyes while awaiting medical attention
Skin Contact:	Wash with soap and water. Remove contaminated clothing, launder immediately, and discard

Ingestion: contaminated leather goods. Get medical attention immediately.
Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this SDS. Never give anything by mouth to an unconscious person

5. FIRE- FIGHTING MEASURES

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid. Use methods suitable to fight surrounding fire.

Fire and/or Explosion Hazards: No data.

Fire Fighting Methods and Protection: Use methods for the surrounding fire.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment: Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Methods for Clean-up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

7. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Storage Technical Measures and Conditions: Store in a cool dry place. Isolate from incompatible materials. Keep container closed when not in use

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

United States:					
Chemical Name	CAS No.	IDLH	ACGIH STEL	ACGIH TLV-TWA	OSHA Exposure Limit
Dichloromethane	75-09-2	2300 ppm IDLH	None Known	50 ppm TWA	25 ppm TWA; 125 ppm STEL (15 min. TWA)

Personal Protection:

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Medical Conditions Aggravated By Exposure: Eye disease Skin disease including eczema and sensitization Respiratory

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance, color:	Colorless
Odor:	Strong
Physical State:	No data available
pH:	Not applicable
Vapor Pressure:	No data available
Vapor Density:	2.93 (air = 1)
Boiling Point (°C):	No data available
Melting Point (°C):	-96.7 °C
Flash Point (°F):	No data available
Upper Flammable/Explosive Limit, % in air:	No data available
Lower Flammable/Explosive Limit, % in air:	No data available
Autoignition Temperature (°C):	556 deg C
Decomposition Temperature (°C):	No data available
Specific Gravity:	1.3254 - 1.3258 g/cm3 at 20 °C
Evaporation Rate:	No data available
Odor Threshold:	ND
Solubility:	Moderate; 50-99%
Partition Coefficient: n-octanol in water:	No data available
VOC % by weight:	97
Molecular Weight:	No data available

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions.
Conditions to Avoid:	None known. Contamination High temperatures
Materials to Avoid / Chemical Incompatibility:	Strong oxidizing agents Caustics (bases)
Hazardous Decomposition Products:	Carbon dioxide Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation Absorption Ingestion Skin contact Eye contact
Target Organs Potentially Affected By Exposure:	Skin, Cardiovascular System, Eyes, Liver
Chemical Interactions That Change Toxicity:	None Known

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.
Inhalation Toxicity:	Harmful! Can cause systemic damage (see "Target Organs") Inhalation may cause severe central nervous system depression (including unconsciousness).
Skin Contact:	Contact causes severe skin irritation and possible burns.
Skin Absorption:	Harmful if absorbed through the skin. May cause severe irritation and systemic damage.
Eye Contact:	Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.
Ingestion Irritation:	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea.
Ingestion Toxicity:	Harmful if swallowed. May cause systemic poisoning.

Long-Term (Chronic) Health Effects:

Carcinogenicity:	Contains a probable or known human carcinogen.
Reproductive and Developmental Toxicity:	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Inhalation:	Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs")
Skin Absorption:	Upon prolonged or repeated exposure, harmful if absorbed through the skin. May cause severe irritation and systemic damage

Component Toxicological Data:
NIOSH:

Chemical Name	CAS No.	LD50/LC50
Methane, dichloro-	75-09-2	Inhalation LC50 Rat 53 mg/L 6 h

Component Carcinogenic Data:

OSHA:

Chemical Name	CAS No.	
Methylene chloride	75-09-2	25 ppm TWA (8 hr.); 125 ppm STEL (15 min.); 12.5 ppm Action Level (see 29 CFR 1910.1051); effective date for respiratory protection for certain employers to achieve the 8-hour TWA PEL is August 31, 1998; the start up date to install engineering controls is December 10, 1998.; {OSHA - 29 CFR 1910 Specifically Regulate

ACGIH:

Chemical Name	CAS No.	
Dichloromethane	75-09-2	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

NIOSH:

Chemical Name	CAS No.	
Methylene chloride	75-09-2	potential occupational carcinogen

NTP:

Chemical Name	CAS No.
No data available	

IARC:

Chemical Name	CAS No.	Group No.
Monograph 110 [in preparation]; Monograph 71 [1999]	75-09-2	Group 2A

12. ECOLOGICAL INFORMATION

Overview:	Moderate ecological hazard. This product may be dangerous to plants and/or wildlife. Keep out of waterways.
Mobility:	No data
Persistence:	No data
Bioaccumulation:	No data
Degradability:	No data
Ecological Toxicity Data:	No data available

13. DISPOSAL CONSIDERATIONS

Waste Description of Spent Product:	Spent or discarded material is a hazardous waste. Mixing spent or discarded material with other materials may render the mixture hazardous. Perform a hazardous waste determination on mixtures.
Disposal Methods:	Incinerate spent or discarded material a permitted hazardous waste facility.
Waste Disposal of Packaging:	Comply with all Local, State, Federal, and Provincial Environmental Regulations.

14. TRANSPORTATION INFORMATION

United States:	
DOT Proper Shipping Name:	Toxic, liquids, organic, n.o.s. (Dichloromethane)
UN Number:	UN2810
Hazard Class:	6.1
Packing Group:	III
International:	
IATA Proper Shipping Name:	Toxic, liquids, organic, n.o.s. (Dichloromethane)
UN Number:	UN2810
Hazard Class:	6.1
Packing Group:	III

Marine Pollutant: No

Chemical Name	CAS#	Marine Pollutant	Severe Marine Pollutant
No data available			

15. REGULATORY INFORMATION

United States:

Chemical Name	CAS#	CERCLA	SARA 313	SARA EHS 313	TSCA
Dichloromethane	75-09-2	X	X	-	X

The following chemicals are listed on CA Prop 65:

Chemical Name	CAS #	Regulation
Dichloromethane	75-09-2	Prop 65 Cancer
Dichloromethane (Methylene chloride)		

State Right To Know Listing:

Chemical Name	CAS#	New Jersey	Massachusetts	Pennsylvania	California
Dichloromethane	75-09-2	X	X	X	X
methyl palmitate	112-39-0	-	-	-	-
methyl myristate	124-10-7	-	-	-	-
methyl caproate (hexanoate)	106-70-7	-	-	-	-
methyl behenate	929-77-1	-	-	-	-
methyl butyrate	623-42-7	X	X	X	-
methyl decanoate	110-42-9	-	-	-	-
methyl laurate	111-82-0	-	-	-	-
methyl octanoate	111-11-5	-	-	-	-
methyl lignocerate	2442-49-1	-	-	-	-
methyl arachidate	1120-28-1	-	-	-	-
methyl oleate (cis-9)	UNKNOWN	-	-	-	-
methyl stearate	112-61-8	-	-	-	-
methyl heptadecanoate	1731-92-6				
methyl tricosanoate	UNKNOWN				
methyl docosahexaenoate (cis-4,7,10,13,16,19)	UNKNOWN				
methyl pentadecenoate (cis-10)	UNKNOWN				
methyl eicosatrienoate (cis-8,11,14)	UNKNOWN				
methyl palmitoleate	1120-25-8				
methyl linoelaidate (trans-9,12)	UNKNOWN				
methyl undecanoate	1731-86-8				
methyl tridecanoate	1731-88-0				
methyl myristoleate (cis-9)	UNKNOWN				
methyl eicosatrienoate (cis-11,14,17)	UNKNOWN				
methyl arachidonate (cis-5,8,11,14)	UNKNOWN				
methyl docosadienoate (cis-13,16)	UNKNOWN				
methyl heptadecenoate (cis-10)	75190-82-8				
methyl linoleate (cis-9,12)	UNKNOWN				
methyl gamma-linolenate (cis-6,9,12)	UNKNOWN				
methyl eicosenoate (cis-11)	UNKNOWN				
methyl nervonate (cis-15)	UNKNOWN				

methyl eicosapentaenoate (cis-5,8,11,14,17)	UNKNOWN				
methyl linolenate (cis-9,12,15)	UNKNOWN				
methyl eicosadienoate (cis-11,14)	UNKNOWN				
methyl heneicosanoate	6064-90-0				
methyl elaidate (trans-9)	UNKNOWN				
methyl erucate (cis-13)	UNKNOWN				

16. OTHER INFORMATION

Prior Version Date: 09/20/18

Other Information: Any changes to the SDS compared to previous versions are marked by a vertical line in front of the concerned paragraph.

References: No data available

Disclaimer: Restek Corporation provides the descriptions, data and information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. It is provided for your guidance only. Because many factors may affect processing or application/use, Restek Corporation recommends you perform an assessment to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including fitness for a particular purpose, are made regarding products described, data or information set forth. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.