



**Be Right™**

# SAFETY DATA SHEET

Issue Date 06-Sep-2016

Revision Date 08-Feb-2023

Version 3.4

Page 1 / 17

## 1. IDENTIFICATION

### Product identifier

**Product Name** COD TNTPlus™, LR (3-150 MG/L)

### Other means of identification

**Product Code(s)** TNT821

**Safety data sheet number** M03407

**UN/ID no** UN3316

### Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory reagent.

**Uses advised against** Consumer use.

**Restrictions on use** For Laboratory Use Only.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Aquatic Acute Toxicity	Category 1
Chronic aquatic toxicity	Category 1

### Hazards not otherwise classified (HNOC)

Data insufficient for GHS classification but significant enough for mention suggests:

CANCER HAZARD. STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER.

Inhalation of low concentrations of sulfuric acid may result in airway irritation such as cough and shortness of breath; high concentrations may result in acute effects such as cough.

### Label elements

#### **Signal word**

Danger



#### Hazard statements

H290 - May be corrosive to metals  
H302 - Harmful if swallowed  
H311 - Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H410 - Very toxic to aquatic life with long lasting effects

#### Precautionary statements

P270 - Do not eat, drink or smoke when using this product  
P501 - Dispose of contents/ container to an approved waste disposal plant  
P405 - Store locked up  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves, protective clothing, eye protection, and face protection  
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P363 - Wash contaminated clothing before reuse  
P273 - Avoid release to the environment  
P391 - Collect spillage  
P234 - Keep only in original container  
P390 - Absorb spillage to prevent material damage

#### Other Hazards Known

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### Mixture

Chemical Family Mixture.  
Chemical nature Aqueous solution of inorganic acids and salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	80 - 90%	-

<b>Sulfuric acid, mercury(2+) salt (1:1)</b>	7783-35-9	<1%	-
<b>Sulfuric acid, disilver(1+) salt</b>	10294-26-5	<1%	-
<b>Chromium trioxide</b>	1333-82-0	<0.1%	-

#### 4. FIRST AID MEASURES

##### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
<b>Skin contact</b>	Get immediate medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

##### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation.
-----------------	--------------------

##### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
---------------------------	--

#### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous combustion products</b>	Sulfur oxides. chromium oxides. Mercury.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

### U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak.

#### Other Information

Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

#### Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

### Methods and material for containment and cleaning up

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

#### Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Reference to other sections

See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

#### Flammability class

Not applicable

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 5 / 17

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic particulate matter	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Sulfuric acid, mercury(2+) salt (1:1) CAS#: 7783-35-9	TWA: 0.025 mg/m <sup>3</sup> Hg S*	(vacated) Ceiling: 0.1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Hg Ceiling: 0.1 mg/m <sup>3</sup> Hg TWA: 0.05 mg/m <sup>3</sup> except Organo alkyls Hg vapor
Sulfuric acid, disilver(1+) salt CAS#: 10294-26-5	TWA: 0.01 mg/m <sup>3</sup> Ag	TWA: 0.01 mg/m <sup>3</sup> (vacated) TWA: 0.01 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ag TWA: 0.01 mg/m <sup>3</sup> Ag
Chromium trioxide CAS#: 1333-82-0	dermal sensitizer;respiratory sensitizer STEL: 0.0005 mg/m <sup>3</sup> Cr(VI) inhalable particulate matter TWA: 0.0002 mg/m <sup>3</sup> Cr(VI) inhalable particulate matter S*	TWA: 5 µg/m <sup>3</sup> (vacated) Ceiling: 0.1 mg/m <sup>3</sup> Ceiling: 0.1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> Cr(VI) TWA: 0.0002 mg/m <sup>3</sup> Cr

**Appropriate engineering controls**  
**Engineering Controls**

Showers  
Eyewash stations  
Ventilation systems. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection**

Wear suitable gloves. Impervious gloves.

**Eye/face protection**

Face protection shield.

**Skin and body protection**

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**General Hygiene Considerations**

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure controls**

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

**Thermal hazards**

None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Color</b>	light orange
<b>Appearance</b>	Turbid solution	<b>Odor threshold</b>	Not applicable
<b>Odor</b>	Odorless		

Property	Values	Remarks • Method
<b>Molecular weight</b>	No data available	
<b>pH</b>	< 0.5	

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 6 / 17

**Melting point / freezing point** 4 °C / 39.2 °F  
**Initial boiling point and boiling range** ~ 300 °C / 572 °F  
**Evaporation rate** 0.16 (water = 1)  
**Vapor pressure** 1.8 mm Hg / 0.24 kPa at 25 °C / 77 °F  
**Relative vapor density** 0.03  
**Specific Gravity** 1.78  
**Partition coefficient** Not applicable  
**Soil Organic Carbon-Water Partition Coefficient** Not applicable  
**Autoignition temperature** No data available  
**Decomposition temperature** No data available  
**Dynamic viscosity** ~ 2.499 cP (mPa s) at 20 °C / 68 °F  
**Kinematic viscosity** ~ 1.404 cSt (mm²/s) at 20 °C / 68 °F

#### Solubility(ies)

##### **Water solubility**

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Completely soluble	> 10000 mg/L	25 °C / 77 °F

##### **Solubility in other solvents**

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
None reported	No information available	No data available	No information available

#### Other information

##### **Metal Corrosivity**

Classified as corrosive to metal according to GHS criteria

##### **Steel Corrosion Rate**

4.88 mm/yr / 0.19 in/yr

##### **Aluminum Corrosion Rate**

55.4 mm/yr / 2.18 in/yr

##### **Volatile Organic Compounds (VOC) Content**

<b>Chemical name</b>	<b>CAS No</b>	<b>Volatile organic compounds (VOC) content</b>	<b>CAA (Clean Air Act)</b>
Sulfuric acid	7664-93-9	No data available	-
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	Not applicable	-
Sulfuric acid, disilver(1+) salt	10294-26-5	No data available	-
Chromium trioxide	1333-82-0	Not applicable	-

##### **Explosive properties**

##### **Upper explosion limit**

No data available

##### **Lower explosion limit**

No data available

##### **Flammable properties**

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 7 / 17

<b>Flash point</b>	No data available
<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No data available
<b>Lower flammability limit:</b>	No data available
<b>Oxidizing properties</b>	No data available.
<b>Bulk density</b>	No data available

## 10. STABILITY AND REACTIVITY

### Reactivity

Corrosive on contact with water. Very reactive. Corrosive to metal.

### Chemical stability

Stable under normal conditions.

### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### Possibility of hazardous reactions

None under normal processing.

### Hazardous polymerization

None under normal processing.

### Conditions to avoid

Exposure to air or moisture over prolonged periods.

### Incompatible materials

Oxidizing agent. Acids. Bases.

### Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
<b>Eye contact</b>	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
<b>Skin contact</b>	Toxic in contact with skin. Corrosive. Causes severe burns. Avoid contact with skin and clothing.
<b>Ingestion</b>	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark

blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

#### Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

#### Acute toxicity

Harmful if swallowed  
Toxic in contact with skin

#### Mixture

No data available.

#### Ingredient Acute Toxicity Data

Test data reported below.

#### Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Rat LD <sub>50</sub>	> 5000 mg/kg	None reported	None reported	Vendor SDS
Chromium trioxide (<0.1%) CAS#: 1333-82-0	Rat LD <sub>50</sub>	52 mg/kg	None reported	None reported	ERMA

#### Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromium trioxide (<0.1%) CAS#: 1333-82-0	Rat LD <sub>50</sub>	55 mg/kg	None reported	None reported	ERMA

#### Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromium trioxide (<0.1%) CAS#: 1333-82-0	Rat LC <sub>50</sub>	0.217 mg/L	4 hours	None reported	ERMA

#### Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	637.40 mg/kg
ATEmix (dermal)	636.10 mg/kg
ATEmix (inhalation-dust/mist)	6.3740 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Skin corrosion/irritation

Causes severe burns.



**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 9 / 17

**Mixture**

No data available.

**Ingredient Skin Corrosion/Irritation Data**

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Chromium trioxide (<0.1%) CAS#: 1333-82-0	United States Department of Transportation (DOT) Skin Corrosion Test	Rabbit	500 mg	30 minutes	Corrosive to skin	ECHA

**Serious eye damage/irritation**

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

**Mixture**

No data available.

**Ingredient Eye Damage/Eye Irritation Data**

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9	Existing human experience	Human	None reported	None reported	Eye irritant	GESTIS
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Standard Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA
Chromium trioxide (<0.1%) CAS#: 1333-82-0	Standard Draize Test	Rabbit	50 mg	7 days	Corrosive to eyes	ECHA

**Respiratory or skin sensitization**

Based on available data, the classification criteria are not met.

**Mixture**

No data available.

**Ingredient Sensitization Data**

Test data reported below.

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 10 / 17

#### Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	<i>in vivo</i> Assay	Guinea pig	Not confirmed to be a skin sensitizer	ECHA

#### **STOT - single exposure**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### **Ingredient Specific Target Organ Toxicity Single Exposure Data**

Test data reported below.

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Human TD <sub>Lo</sub>	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS

#### **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### **Ingredient Specific Target Organ Toxicity Repeat Exposure Data**

Test data reported below.

#### Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Rat LD	> 2000 mg/kg	14 days	No toxicological effects observed	ECHA

#### Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Human TC <sub>Lo</sub>	0.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### **Ingredient Carcinogenicity Data**

No data available.

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 11 / 17

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	-	Group 3	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5	-	-	-	-
Chromium trioxide	1333-82-0	A1	Group 1	Known	X

#### **Legend**

<b>ACGIH (American Conference of Governmental Industrial Hygienists)</b>	A2 - Suspected Human Carcinogen
<b>IARC (International Agency for Research on Cancer)</b>	Group 1 - Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen
<b>NTP (National Toxicology Program)</b>	Known - Known Carcinogen
<b>OSHA</b>	X - Present

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Mixture invitro Data**

No data available.

#### **Substance invitro Data**

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Mutation in mammalian somatic cells	Human lymphocyte	.08 mg/L	3 hours	Negative	ECHA
Chromium trioxide (<0.1%) CAS#: 1333-82-0	Morphological transformation	Human fibroblast	100 nmol/L	None reported	Positive test result for mutagenicity	RTECS

#### **Mixture invivo Data**

No data available.

#### **Substance invivo Data**

No data available.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **Mixture**

No data available.

#### **Ingredient Reproductive Toxicity Data**

Test data reported below.

#### **Inhalation (Vapor) Exposure Route**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	No information available

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 12 / 17

(80 - 90%) CAS#: 7664-93-9	TC <sub>Lo</sub>			<b>Abnormalities</b> Musculoskeletal system	
-------------------------------	------------------	--	--	--	--

**Aspiration hazard**

Based on available data, the classification criteria are not met.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

**Mixture**

**Aquatic Acute Toxicity**

No data available.

**Aquatic Chronic Toxicity**

No data available.

**Substance**

**Aquatic Acute Toxicity**

Test data reported below.

**Fish**

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	96 hours	<i>Pimephales promelas</i>	LC <sub>50</sub>	0.0012 mg/L	GESTIS
Chromium trioxide (<0.1%) CAS#: 1333-82-0	96 hours	<i>Tilapia mossambica</i>	LC <sub>50</sub>	21.05 mg/L	GESTIS

**Crustacea**

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	48 Hours	<i>Ceriodaphnia dubia</i>	LC <sub>50</sub>	0.0045 mg/L	GESTIS
Chromium trioxide (<0.1%) CAS#: 1333-82-0	48 Hours	<i>Daphnia magna</i>	EC <sub>50</sub>	0.162 mg/L	GESTIS

**Aquatic Chronic Toxicity**

No data available.

**Persistence and degradability**

**Mixture**

No data available.

**Mixture**

No data available.

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 13 / 17

**Partition coefficient**

Not applicable

**Mobility**

**Soil Organic Carbon-Water Partition Coefficient**

Not applicable

**Other adverse effects**  
No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging**

Do not reuse empty containers.

**US EPA Waste Number**

D002, D007, D009, D011

### 14. TRANSPORT INFORMATION

**DOT**

<b>UN/ID no</b>	UN3316
<b>Proper shipping name</b>	CHEMICAL KITS
<b>Transport hazard class(es)</b>	9
<b>Description</b>	UN3316, CHEMICAL KITS, 9, Marine pollutant (Sulfuric acid, disilver(1+) salt, Sulfuric acid, mercury(2+) salt (1:1))
<b>Emergency Response Guide Number</b>	171

**TDG**

<b>UN/ID no</b>	UN3316
<b>Proper shipping name</b>	CHEMICAL KIT
<b>Transport hazard class(es)</b>	9
<b>Packing Group</b>	II
<b>Description</b>	UN3316, Chemical kit, 9, II

**IATA**

<b>UN number or ID number</b>	UN3316
<b>Proper shipping name</b>	Chemical kit
<b>Transport hazard class(es)</b>	9
<b>ERG Code</b>	9L
<b>Description</b>	UN3316, Chemical kit, 9

**IMDG**

<b>UN number or ID number</b>	UN3316
<b>Proper shipping name</b>	CHEMICAL KIT
<b>Transport hazard class(es)</b>	9
<b>EmS-No</b>	F-A, S-P
<b>Special precautions for user</b>	251, 340
<b>Description</b>	UN3316, CHEMICAL KIT (Sulfuric acid, disilver(1+) salt), 9, Marine pollutant

**Additional information**

## 15. REGULATORY INFORMATION

### National Inventories

TSCA Complies  
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### International Inventories

EINECS/ELINCS Complies  
ENCS Complies  
IECSC Complies  
KECL - Existing substances Complies  
PICCS Complies  
TCSI Complies  
AICS Complies  
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
ENCS - Japan Existing and New Chemical Substances  
IECSC - China Inventory of Existing Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
TCSI - Taiwan Chemical Substances Inventory  
AICS - Australian Inventory of Chemical Substances  
NZIoC - New Zealand Inventory of Chemicals

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9)	1.0
Sulfuric acid, disilver(1+) salt (CAS #: 10294-26-5)	1.0
Chromium trioxide (CAS #: 1333-82-0)	0.1

#### **SARA 311/312 Hazard Categories**

Acute health hazard Yes  
Chronic Health Hazard Yes  
Fire hazard No  
Sudden release of pressure hazard No  
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	10 lb	X	-	X
Sulfuric acid, disilver(1+) salt	-	X	-	-

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 15 / 17

10294-26-5				
Chromium trioxide 1333-82-0	-	X	-	-

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

#### **U.S. - DEA (Drug Enforcement Administration) List I & List II**

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

#### **US State Regulations**

##### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen
Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9)	Developmental
Chromium trioxide (CAS #: 1333-82-0)	Carcinogen Developmental Female Reproductive Male Reproductive



**WARNING:** This product can expose you to chemicals including Chromium trioxide, Sulfuric acid, Sulfuric acid, mercury(2+) salt (1:1), which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to <http://www.P65Warnings.ca.gov>

**IMERC:** Contains Mercury Dispose of in accordance with local, state and federal regulations or laws.

#### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	X	X	X
Sulfuric acid, disilver(1+) salt 10294-26-5	X	-	X
Chromium trioxide 1333-82-0	X	X	X

**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 16 / 17

#### U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

#### Special Comments

This product contains mercury and may be subject to reporting and recordkeeping requirements

#### Additional information

#### **Global Automotive Declarable Substance List (GADSL)**

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	Declarable Substance (LR) Prohibited Substance (LR)	0.1 %
Chromium trioxide 1333-82-0	Declarable Substance (LR) Prohibited Substance (LR)	0.1 % 3 mg/kg

#### NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X - I

#### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)



**Product Code(s)** TNT821  
**Issue Date** 06-Sep-2016  
**Version** 3.4

**Product Name** COD TNTPlus™, LR (3-150 MG/L)  
**Revision Date** 08-Feb-2023  
**Page** 17 / 17

PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

**Prepared By** Hach Product Compliance Department

**Issue Date** 06-Sep-2016

**Revision Date** 08-Feb-2023

**Revision Note** None

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY©2022**

**End of Safety Data Sheet**