

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Skin corrosion - Category 1B

H314: Causes severe skin burns and eye damage.

Hazardous to the aquatic environment –
Chronic - Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word :

Danger

Contains : Ethylenediamine tetraacetic acid tetrasodium salt+ N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine+ Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides+ Isotridecanol, ethoxylated

Hazard statement(s) :

H314: Causes severe skin burns and eye damage.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s) :

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

The mixture does not contain substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. in concentration greater than 0.1%.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable as this involves a mixture.

3.2. Mixtures

Chemical nature of the mixture : LIQUID ALKALI

Substance(s)	CAS number(s)	EINECS number(s)	index	No registration REACH	Classification according to Regulation (EC) 1272/2008	SCL M-factor ATE	Type
5% <= Ethylenediamine tetraacetic acid tetrasodium salt < 15%	64-02-8	200-573-9		01-2119486762-27	Acute Tox. 4 (inhalation) H332 Acute Tox. 4 (oral) H302 Eye Dam. 1 H318 STOT RE 2 H373		(1)
1% <= Isotridecanol, ethoxylated < 5%	69011-36-5				Eye Dam. 1 H318 Acute Tox. 4 (oral) H302		(1)
1% <= Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides < 5%	308062-28-4	931-292-6		01-2119490061-47	Acute Tox. 4 (oral) H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	M Factor (Acute) 1	(1)
1% <= N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine < 2.5%	2372-82-9	219-145-8		Biocidal active substance, regarded as already registered	Skin Corr. 1B H314 Aquatic Chronic 1 H410 Acute Tox. 3 (oral) H301 STOT RE 2 H373 Aquatic Acute 1 H400	M Factor (Acute) 10 M Factor (Chronic) 1	(1)

Type

(1) : Substance classified as hazardous for health and/or the environment
 (2) : Substance with an exposure limit at the work station.

Substance of very high concern candidate for the authorisation procedure:

- (3) : Substance considered as PBT (persistent, bioaccumulable, toxic)
- (4) : Substance considered as vPvB (very persistent, very bioaccumulable)
- (5) : Substance considered as carcinogenic category 1A
- (6) : Substance considered as carcinogenic category 1B
- (7) : Substance considered as mutagenic category 1A
- (8) : Substance considered as mutagenic category 1B
- (9) : Substance considered as reprotoxic category 1A
- (10) : Substance considered as reprotoxic category 1B
- (11) : Substance considered as endocrine disrupter
- (12) : Other substance considered hazardous to health or the environment
- (N) : Nanomaterial

Full text of H- and EUH- phrases : see section 16.

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General indications:

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.
In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

In the event of inhalation :

Bring to fresh air.

Put into practice respiratory help procedure if needed and get medical advice immediately.

In the event of contact with the skin :

Take off immediately all contaminated clothing.

Wash immediately with plenty of water for 15 minutes at least.

Immediately call a POISON CENTER or doctor/physician.

In the event of contact with the eyes :

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.

Remove contact lenses if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion :

Rinse mouth.

Do NOT induce vomiting.

Send to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.

Inhalation : Aerosols can induce respiratory tracts irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treatments : Symptomatic treatment

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media :

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

Water spray, powder extinguisher, foam.
Agents compatible with other products involved into fire.

Unsuitable extinguishing media :
None from our knowledge.

5.2. Special hazards arising from the substance or mixture

DEPTAL AS is non-flammable.
However, in contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited.
Risk nitrogen oxide emission (Nox) in the event of fire.

5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit.
Collect contaminated firefighting water separately, must not be discharged into the drains.
Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

6.1.2. For emergency responders :

Evacuate the personnel to a safe location.
Keep people upwind and away from the location of the flow/leak.
Use personal protection equipment.

6.2. Environmental precautions

Take as soon as possible all incompatible materials away.
Intervention limited to trained staff.
Do not discharge the product directly to sewer or to environment.

6.3. Methods and material for containment and cleaning up

Small spillage :
Pump in a reservoir of help.

Large spillage :
Never return spills in original containers for re-use.
Keep in suitable, properly labelled and closed containers for disposal.
Mark out, soak up with an inert absorbant and pump in an emergency tank.

6.4. Reference to other sections

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version **7.0.0**

Creation date : **21/03/12**

Revision: **06/12/22**

Print Date : 31/12/22

Respect protective measures presented at heading 8.
 Refer to section 13 for the elimination.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing.
 Do not eat, drink or smoke in work area. Avoid projections during use.
 Avoid inhaling vapours or aerosols.
 Do not mix with an acid.
 Take off immediately all contaminated clothing.
 Do not mix with strong oxidizing agents.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Storage :

Keep only in the original container.
 Keep container closed.
 Keep in a clean and dry place.
 Keep away from products sensitive to alkalis.

7.2.2. Packaging or wrapping materials :

High density polyethylene recommended.

7.3. Specific end use(s)

DEPTAL AS is for use as a biocide.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values :

Substance	CAS number	Country	Type	Value	Unit	Comments	source
Contains no substances with occupational exposure limit values.							

8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions implemented will be checked by measurement in comparison to the statutory limit values for substances defined in

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

Section 8.1.

* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.

8.2.1. Appropriate engineering controls :

Ensure adequate ventilation.

Apply the necessary technical measures to comply with the professional exposure limit values.

8.2.2. Individual protection measures, such as personal protective equipment :

Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



Hand protection :

Use chemical resistant gloves approved to EN 374.

Examples of preferred materials for insulating gloves:

Butyl rubber.

Nitrile rubber.

Do not wear polyvinyl alcohol (PVA) gloves.



Skin protection :

Wear boots and a protective cloth with chemical resistance.



Respiratory protection :

At the time of handling leading to vapor formation, wear a half-mask in compliance with the European standard EN 140 or a complete mask with a filter in conformity with the European standard EN 136 (in conformity with the European standard EN 141 or EN 14387) of type:

ABEK.

At the time of applications by spraying (leading to aerosols), wear a half-mask in compliance with the European standard EN 140 or a complete mask in conformity with the European standard EN 136 equipped with a filter (in conformity with the European standard EN 143) of the following type:

P: Particles, solid aerosols and liquids.

It is possible to combine the anti-vapor filters and anti-aerosols.

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version **7.0.0**

Creation date : **21/03/12**

Revision: **06/12/22**

Print Date : 31/12/22



Thermal hazards :

Not applicable

Health measures :

Safety shower and eye wash fountain near to workplace.

After using, wash systematically all personal protective equipment.

Handle in accordance with good industrial hygiene practices and the safety instructions.

8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid
Colour	Colourless to slightly yellow
Odour	Not available
Odour threshold	Not available
Freezing point	0 °C
Melting point	Not applicable
Boiling point	Not available
Flammability	Not applicable
Lower explosive limit	Not applicable
upper explosive limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Pure pH	12.9
pH value at 10g/l	11.1±0.5
kinematic viscosity	Not applicable
Solubility in water	Soluble in water in all proportions
Solubility	Not applicable
Partition coefficient: n-octanol/water	Not applicable
Vapour pressure	Not available
Relative density	1.05±0.01
Mass density	1.05±0.01 g/cm ³
Vapour density	Not available
Particle characteristics	Not applicable

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

9.2. Other information

Explosive properties	Not applicable
Oxidising properties	Not applicable
Viscosity (20°C, 30 rpm, spindle S00)	11±10 cPo
Evaporation rate:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal conditions of use.

10.2. Chemical stability

Stable in the recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Exothermic reactions with acids.
Exothermic reactions with strong oxidizing agents.

10.4. Conditions to avoid

None to our knowledge.

10.5. Incompatible materials

Acids.
Strong oxidizing agents.
Light metals and/or colored.

10.6. Hazardous decomposition products

In contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited.
Risk nitrogen oxide emission (Nox) in the event of fire.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) N°1272/2008

Substance-related data:

Acute toxicity

Ethylenediamine tetraacetic acid tetrasodium salt : LD 50 - oral rat 1,780 mg/kg. - MSDS supplier
Ethylenediamine tetraacetic acid tetrasodium salt : LC 50 - inhalation - 4h rat 1.5 mg/L. - MSDS supplier
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (30%) : LD 50 - oral rat 871 mg/kg. - MSDS supplier
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : LD 50 - oral rat 50 - 300 mg/kg. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LD 50 - oral rat 1,064 mg/kg. - MSDS supplier

Skin corrosion/irritation

Ethylenediamine tetraacetic acid tetrasodium salt : Skin irritation (OECD 404): . non irritating - MSDS supplier

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : Skin irritation . Corrosive.; Causes burns. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Cutaneous contact . Irritating - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Skin corrosion/irritation rabbit (OECD 404): . Irritating - MSDS supplier

Serious damage to eyes/eye irritation

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Eye irritation . Risk of serious damage of eyes - MSDS supplier
Ethylenediamine tetraacetic acid tetrasodium salt : Eye contact : . Can induce serious ocular damages or even irreversibles - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Serious damage to eyes/eye irritation rabbit (OECD 405): . Causes burns. - MSDS supplier

Sensitisation

Ethylenediamine tetraacetic acid tetrasodium salt : Sensitisation guinea-pig (OECD 406): . Not sensitising - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : Sensitisation . Not sensitising - MSDS supplier

Mutagenicity

Ethylenediamine tetraacetic acid tetrasodium salt : Micronucleus test (OECD 474): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)
Ethylenediamine tetraacetic acid tetrasodium salt : Lymphoma test mouse (OECD 476): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)
Ethylenediamine tetraacetic acid tetrasodium salt : Chromosomal aberration test (OECD 473): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)
Ethylenediamine tetraacetic acid tetrasodium salt : Ames test (OECD 471): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : . Not mutagenic - MSDS supplier

Mix-related data:

Acute toxicity

. Not determined

Skin corrosion/irritation

Skin corrosivity . The mixture should be considered as corrosive because of its extreme pH.

Serious damage to eyes/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

Respiratory / skin sensitisation

Skin sensitisation . The mixture is not considered as a skin sensitizer according to 1272/2008/EC Regulation.

Respiratory sensitisation . The mixture is not considered as a respiratory sensitizer according to 1272/2008/EC Regulation.

Mutagenicity

. The classification criteria are not met given the available data.

Carcinogenicity

. The classification criteria are not met given the available data.

Reproductive toxicity

. The classification criteria are not met given the available data.

Specific target organ toxicity - single exposure

. The classification criteria are not met given the available data.

Specific target organ toxicity - repeated exposure

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

. The classification criteria are not met given the available data.

Aspiration hazard

. The classification criteria are not met given the available data.

Most important symptoms and effects, both acute and delayed :

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.

Inhalation : Aerosols can induce respiratory tracts irritation.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Not concerned

SECTION 12: ECOLOGICAL INFORMATION

12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

Acute toxicity

Ethylenediamine tetraacetic acid tetrasodium salt (40%) : EC 20 - 30 min bacterias (OECD 209): > 500 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : EC 50 - 48h daphnia (Daphnia magna) > 100 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : LC 50 - 96h fishes (Lepomis macrochirus) > 100 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : EC 50 - 48h daphnia 3.1 mg/L. - MSDS supplier

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : EC 50 - 48h daphnia (OECD 202): > 0.01 - 0.1 mg/L. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : IC 50 algae 0.143 mg/L. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LC 50 - 96h fishes 2.67 mg/L. - MSDS supplier

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : LC 50 - 96h fishes (OECD 203): > 0.1 - 1 mg/L. - MSDS supplier

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : EC 50 - 72h algae > 0.01 - 0.1 mg/L. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : EC 50 - 72h Aquatic species > 100 mg/L. - MSDS supplier

Chronic toxicity

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : NOEC - 72h algae (Selenastrum capricornutum) > 0.001 - 0.01 mg/L. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : NOEC algae 0.067 mg/L. - MSDS supplier

Degradability

Ethylenediamine tetraacetic acid tetrasodium salt : Biodegradability . Not easily biodegradable - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Biodegradability . Easily biodegradable. - MSDS supplier

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : Biodegradability (OECD 301D): . Easily biodegradable. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Biodegradability - 28days (OECD 301 D): > 90 %. Easily biodegradable. - MSDS supplier

Bioaccumulation

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

Ethylenediamine tetraacetic acid tetrasodium salt (40%) : . Not bioaccumulative considering that BCF<100 and log Pow<3 - MSDS supplier

Mix-related data:

Acute toxicity

fishes . Not determined
daphnia . Not determined
algae . Not determined

Chronic toxicity

. No data available.

Degradability

. The surface agents contained in this mix are in line with the requirements of the Detergent Regulation 648/2004/EC.

Bioaccumulation

. No data available.

Mobility

. No data available.

Conclusion :

The mixture is considered to be dangerous for the environment according to 1272/2008/EC Regulation.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

12.6 Endocrine disrupting properties

Not concerned

12.7. Other adverse effects

No additional information available.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**Treatment of the mixture :

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

SECTION 14: TRANSPORT INFORMATION

ROAD TRANSPORT: Rail/Route (RID/ADR)

14.1 UN no : 3267

14.2 UN proper shipping name :

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S (Ethylenediamine tetraacetic acid tetrasodium salt + N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)

14.3 Transport hazard class(es) : 8

14.4 Packing group : II

Hazard identification number : 80

Label : 8



Tunnel code : (E)

14.5 Environmental hazard : No

14.6 Special precautions for user : No information.

Limited Quantity (QL): 1L

MARITIME TRANSPORT : IMDG

14.1 UN no :3267

14.2 UN proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S (Ethylenediamine tetraacetic acid tetrasodium salt + N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)

14.3 Transport hazard class(es) : 8



14.4 Packing group : II

14.5 Environmental hazard

Marine pollutant : No

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

14.6 Special precautions for user : No information.
EmS number :

Limited Quantity (QL): 1L

14.7 Maritime transport in bulk according to IMO instruments : Not concerned

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) n°528/2012 concerning the making available on the market and use of biocidal products :
Active ingredient: N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Regulations relating to the hazards from major accidents :
SEVESO 3 Directive (2012/18/EC) : Not concerned

Regulations relating to the classification, packaging and labelling of substances and mixtures :
Regulation (EC) 1272/2008 amended.

Waste regulations :
2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC
Decision 2014/955/EC which establishes the list of hazardous waste.

Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals : Not concerned

Protection of workers :
Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EU) 2019/1021 of 20 June 2019 on persistent organic pollutants : Not applicable

Regulation (EC) 1005/2009 amended on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors:
Not concerned

Regulation (EC) 648/2004 :
In conformity with the regulation in force on detergents: Regulation (EC) N° 648/2004.
Ingredient datasheet for the medical staff is available upon written request.

Contains :
5-15% EDTA and salts thereof
< 5% Non-ionic surfactants, Cationic surfactants
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22

Comply with national and local legislation.

15.2. Chemical safety assessment

This safety data sheet has been drafted taking into account the information from exposure scenarios for the substances making up the mixture.

SECTION 16: OTHER INFORMATION

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

Section(s) modified compared with the previous version :
Revision of the safety data sheet according to (EU) 2020/878 Regulation.

List of H phrases referred to in section 3 :

H301 : Toxic if swallowed.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

H332 : Harmful if inhaled.

H373 : May cause damage to organs through prolonged or repeated exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

H411 : Toxic to aquatic life with long lasting effects.

Sources of key data used to compile the data sheet :
MSDS supplier

Historical :

Version 7.0.0

Cancel and replaces previous version 6.2.1

DEPTAL AS

Code: 03300

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.0.0

Creation date : 21/03/12

Revision: 06/12/22

Print Date : 31/12/22
