

70304

UST Tank Brush, 7.5", Stiff, Red



Designed to incorporate Vikan's patented Ultra Safe Technology (UST), this industrial tank brush offers unparalleled bristle security and hygiene. Its seamless, easy-to-clean design minimises the risk of contamination, making it an ideal tool for tank cleaning in dairies, breweries, wineries, and other food and beverage production facilities. It has been designed with angled bristles to facilitate optimal cleaning, and wide drainage holes that prevent water pooling and aid drying during storage. This UST tank scrub offers the ultimate in scrubbing efficacy, durability, and hygienic design, and is a perfect fit for any colour-coded cleaning system. The UST bulk tank brush is compact and lightweight, making it perfect for cleaning the insides of complex equipment like mixers and blenders. It can also be used to clean tanks, vats, pipes, large food-contact surfaces, silos etc. All UST brooms and brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

Technical Data

| | |
|---|--|
| Item Number | 70304 |
| Bristle stiffness | Stiff |
| Visible bristle length | 1.5 " |
| Material | Polypropylene Polyester (PBT) |
| Recycling Symbol "7", Miscellaneous Plastics | Yes |
| Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA RegulationI CFR 21 ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Complies with California Proposition 65 | Yes |
| Complies with Halal and Kosher | Yes |
| PFAS, Phthalates and BPA intentionally added | No |
| Design Registration No. | US 29/967404, |
| Pat. Pending/Patent No. | EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831 |
| Box Quantity | 5 Pcs. |
| Quantity per Pallet (80 x 120 x 180-200 cm) | 360 Pcs. |
| Quantity Per Layer (Pallet) | 60 Pcs. |
| Box Length | 21.5 " |
| Box Width | 10.8 " |
| Box Height | 8.9 " |
| Length | 7.5 " |
| Width | 6.7 " |
| Height | 4.1 " |
| Net Weight | 0.7033 lbs |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) | 0.02 lbs |
| Weight cardboard (Recycling symbol "20" PAP) | 0.09 lbs |
| Tare Total | 0.11 lbs |
| Gross Weight | 0.8131 lbs |
| Cubic Feet | 0.1198 ft3 |
| Max usage temperature (food contact) | 176 °F |

| | |
|--|----------------|
| Max usage temperature (non food contact) | 176 °F |
| Recommended sterilisation temperature (Autoclave) | 249.8 °F |
| Max. cleaning temperature (Dishwasher) | 199.4 °F |
| Max. drying temperature | 212 °F |
| Min. usage temperature | -4 °F |
| Max. pH-value in Usage Concentration | 10.5 pH |
| Min. pH-value in usage concentration | 2 pH |
| GTIN-13 Number | 5705020703645 |
| GTIN-14 Number (Box quantity) | 15705020703642 |
| Customs Tariff No. | 96039099 |
| Country of Origin | Denmark |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact