

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 1 of 20

SAFETY DATA SHEET

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION
------------------	---

PRODUCT

Product Name: EXCEED™ POLYETHYLENE (PPA)

Product Description: Ethylene Based Polymer, see Section 16 for applicable grades.

Intended Use: Coatings, Extrusion and moulding, Film

COMPANY IDENTIFICATION

Supplier: ExxonMobil Chemical Asia Pacific (Regn. No. 52893724C)
(A Division Of ExxonMobil Asia Pacific Pte Ltd - Regn. No. 196800312N)
POLYOLEFINS
1 Harbour Front Place
#06-00 Harbour Front Tower One 098633 Singapore

24 Hour Environmental / Health Emergency Telephone 800-101-2201

Supplier General Contact +65 6885 8339

Local Contact:

Country	Emergency Telephone Number
China	4001-204937

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 2 of 20

Hong Kong	800-968-793
India	000-800-100-7141
Japan	+81-3-45209637
Malaysia	1-800-815-308
Republic of Korea	00-308-13-2549
Thailand	001-800-13-203-9987

This (M)SDS is a generic document with no country specific information included.

SECTION 2	HAZARDS IDENTIFICATION
------------------	-------------------------------

This material is not hazardous according to UN GHS Criteria. Classification includes all GHS hazard classes. For hazard categories with two cut-off/concentration limits, classification was based on the higher limit.

Other hazard information:

PHYSICAL / CHEMICAL HAZARDS

Contact with hot material can cause thermal burns which may result in permanent damage. WARNING: May form combustible dust concentrations in air (during processing/handling). Material can accumulate static charges which may cause an ignition. Spilled pellets present a slipping hazard on hard surfaces.

HEALTH HAZARDS

If dust is generated, it could scratch the eyes and cause minor irritation to the respiratory tract. When heated, the vapour/fumes given off may cause respiratory tract irritation.

ENVIRONMENTAL HAZARDS

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 3 of 20

No significant hazards.

SECTION 3	COMPOSITION / INFORMATION ON INGREDIENTS
------------------	---

This material is defined as a mixture.

No Hazardous Substance(s) or Complex Substance(s) required for disclosure.

NOTE: The product may contain varying levels of additives such as slip and anti-blocking agents, anti-oxidants, stabilizers and processing aids.

SECTION 4	FIRST AID MEASURES
------------------	---------------------------

INHALATION

At ambient/normal handling temperatures, no adverse effects due to inhalation of dust are expected. In case of adverse exposure to vapours and / or aerosols formed at elevated temperatures, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest.

SKIN CONTACT

For hot product: Immediately immerse in or flush affected area with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt medical attention.

EYE CONTACT

Flush thoroughly with water. If irritation occurs, get medical assistance.

INGESTION

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 4 of 20

No adverse effects due to ingestion are expected.

ACUTE AND DELAYED SYMPTOMS/EFFECTS

See Toxicological Section

SECTION 5

FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Appropriate Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO₂) to extinguish flames.

Inappropriate Extinguishing Media: Straight streams of water

FIRE FIGHTING

Fire Fighting Instructions: Assure an extended cooling down period to prevent re-ignition. Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

Unusual Fire Hazards: Explosion: Avoid generating dust; fine dust dispersed in air in sufficient concentration and in the presence of an ignition source is a potential dust explosion hazard. Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containing compounds may be released upon combustion.

Hazardous Combustion Products: Hydrogen fluoride, Smoke, Fume, Oxides of carbon, Flammable hydrocarbons, Incomplete combustion products

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 5 of 20

FLAMMABILITY PROPERTIES

Flash Point [Method]: N/A

Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D

Autoignition Temperature: N/A

SECTION 6

ACCIDENTAL RELEASE MEASURES

NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

PROTECTIVE MEASURES

Avoid contact with spilled material. Dust Deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (for example, clearing dust surfaces with compressed air). Prevent dust exposure to ignition sources. For example, use non-sparking tools and prohibit smoking, flares, sparks or flames in immediate area. See Section 5 for fire fighting information. See the Hazard Identification Section for Significant Hazards. See Section 4 for First Aid Advice. See Section 8 for advice on the minimum requirements for personal protective equipment. Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders.

SPILL MANAGEMENT

Land Spill: Spilled pellets present a slipping hazard on hard surfaces. Prevent dust cloud. Small Dry Spills: With clean shovel, place material into clean, dry container and cover loosely; move containers from spill area.

Water Spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Skim from surface

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 6 of 20

Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.

ENVIRONMENTAL PRECAUTIONS

Prevent entry into waterways, sewers, basements or confined areas. For Large Spills: Cover spill with plastic sheet or tarpaulin to minimise spreading.

SECTION 7

HANDLING AND STORAGE

HANDLING

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dust from material can accumulate electrostatic charges due to friction from transfer and mixing operations and cause an electrical spark (ignition source). Provide adequate precautions to ignition sources, such as electrical grounding and bonding, inert atmosphere or non-sparking tools. However, bonding and grounds may not eliminate the hazard for static accumulation. Consult local applicable standards for guidance. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids and EN 61241, Electrical Apparatus for Use in the Presence of Combustible Dust for safe handling. Avoid elevated temperatures for prolonged periods of time. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent small spills and leakage to avoid slip hazard. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Care should be taken when storing and handling this product. Apart from the specific nature of the polymer product, conditions such as humidity, sunlight and temperature have an influence on the way the product behaves during storage and handling. Special attention should be paid to avoid inappropriate stacking of palletised bags or other package units. Indeed, polymer products may be dimensionally unstable under certain conditions. Avoid conditions generating heat during transfer operations.

Loading/Unloading Temperature: [Ambient]

Transport Temperature: [Ambient]

Transport Pressure: [Ambient]

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 7 of 20

Static Accumulator: This material is a static accumulator.

STORAGE

The container choice, for example storage vessel, may effect static accumulation and dissipation. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames and high temperatures. Do not store in open or unlabelled containers.

Storage Temperature: [Ambient]

Storage Pressure: [Ambient]

Suitable Containers/Packing: Bags; Drums; Octatainer; Bulk Containers; Hopper Cars; Boxes; Silos

Suitable Materials and Coatings (Chemical Compatibility): Aluminium; Polyethylene

SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION
------------------	--

Exposure limits/standards for materials that can be formed when handling this product: For dusty conditions, ACGIH recommends for insoluble and poorly soluble particles not otherwise specified an 8-hour TWA of 10 mg/m³ (inhalable particles), 3 mg/m³ (respirable particles). Product may also contain varying levels of additives, such as slip and antiblocking agents (talc or silica), antioxidants, stabilizers, and corrosion inhibitors. Certain grades may contain cristobalite, a form of crystalline silica, as an additive that is encapsulated in the polymer. Inhaled crystalline silica in an occupational environment is recognized as a known human carcinogen. However, the potential for release of silica to the air when this polymer is handled has been assessed and the encapsulated silica within the polymer is not expected to pose a health hazard when processed under normal conditions of use.

Biological limits

No biological limits allocated.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 8 of 20

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

ENGINEERING CONTROLS

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider:

Adequate ventilation should be provided so that exposure limits are not exceeded. **SPECIAL PRECAUTIONS:** Should significant vapours/fumes be generated during thermal processing of this product, it is recommended that work stations be monitored for the presence of thermal degradation by-products which may evolve at elevated temperatures (for example, oxygenated components). Processors of this product should assure that adequate ventilation or other controls are used to control exposure. It is recommended that the current ACGIH-TLVs for thermal degradation by-products be observed. Contact your local sales representative for further information. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product are designed and maintained to minimize dust generation and accumulation. Ensure that dust-handling systems (such as exhaust ducts, dusts collectors, vessels, and processing equipment) are designed to minimize the potential for dust ignition and prevent explosion propagation. For example, use explosion relief vents, an explosion suppression system or inert equipment internals. Additional examples of proper equipment include using only appropriately classified electrical equipment and powered industrial trucks.

PERSONAL PROTECTION

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Respiratory Protection: If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include:

Particulate air-purifying respirator approved for dust or oil mist is recommended.

For high airborne concentrations, use an approved supplied-air respirator, operated in positive pressure mode.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 9 of 20

Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded.

Hand Protection: Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include:

If product is hot, thermally protective, chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet style gloves.

Eye Protection: If contact is likely, safety glasses with side shields are recommended.

Skin and Body Protection: Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include:

If product is hot, thermally protective, chemical resistant apron and long sleeves are recommended.

Specific Hygiene Measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

ENVIRONMENTAL CONTROLS

Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 10 of 20

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the Supplier for additional information.

GENERAL INFORMATION

Physical State: Solid

Form: Pellet, Granule, Powder

Colour: Clear to Opaque, White to Off-White

Odour: None to Mild

Odour Threshold: N/A

IMPORTANT HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION

Relative Density (at 15 °C): 0.9 - 0.95

Bulk Density: 0.4 g/cc at 20 °C - 1 g/cc at 20 °C

Flammability (Solid, Gas): N/A

Flash Point [Method]: N/A

Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D

Autoignition Temperature: N/A

Boiling Point / Range: N/A

Decomposition Temperature: N/D

Vapour Density (Air = 1): N/A

Vapour Pressure: N/A

Evaporation Rate (n-butyl acetate = 1): N/A

pH: N/A

Log Pow (n-Octanol/Water Partition Coefficient): N/A

Solubility in Water: Negligible

Viscosity: N/A

Oxidizing Properties: See Hazards Identification Section.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 11 of 20

OTHER INFORMATION

Freezing Point: N/A

Melting Point: 115°C (239°F) - 130°C (266°F)

Molecular Weight: > 25000

Hygroscopic: No

SECTION 10	STABILITY AND REACTIVITY
------------	--------------------------

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID: Avoid elevated temperatures for prolonged periods of time.

MATERIALS TO AVOID: Strong oxidisers

HAZARDOUS DECOMPOSITION PRODUCTS: Material does not decompose at ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization will not occur.

SECTION 11	TOXICOLOGICAL INFORMATION
------------	---------------------------

INFORMATION ON TOXICOLOGICAL EFFECTS

<u>Hazard Class</u>	<u>Conclusion / Remarks</u>
Inhalation	
Acute Toxicity: No end point data for	Minimally Toxic. Based on chemical structure (polymers).

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 12 of 20

material.	
Irritation: No end point data for material.	Negligible hazard at ambient/normal handling temperatures.
Ingestion	
Acute Toxicity: No end point data for material.	Minimally Toxic. Based on chemical structure (polymers).
Skin	
Acute Toxicity: No end point data for material.	Minimally Toxic. Based on chemical structure (polymers).
Skin Corrosion/Irritation: No end point data for material.	Negligible irritation to skin at ambient temperatures. Based on chemical structure (polymers).
Eye	
Serious Eye Damage/Irritation: No end point data for material.	May cause mild, short-lasting discomfort to eyes. Based on chemical structure (polymers).
Sensitisation	
Respiratory Sensitization: No end point data for material.	Not expected to be a respiratory sensitizer.
Skin Sensitization: No end point data for material.	Not expected to be a skin sensitizer. Based on chemical structure (polymers).
Aspiration: Data available.	Not expected to be an aspiration hazard. Based on physico-chemical properties of the material.
Germ Cell Mutagenicity: No end point data for material.	Not expected to be a germ cell mutagen. Based on chemical structure (polymers).
Carcinogenicity: No end point data for material.	Not expected to cause cancer. Based on chemical structure (polymers).
Reproductive Toxicity: No end point data for material.	Not expected to be a reproductive toxicant. Based on chemical structure (polymers).
Lactation: No end point data for material.	Not expected to cause harm to breast-fed children.
Specific Target Organ Toxicity (STOT)	
Single Exposure: No end point data for material.	Not expected to cause organ damage from a single exposure.
Repeated Exposure: No end point data for material.	Not expected to cause organ damage from prolonged or repeated exposure. Based on chemical structure (polymers).

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 13 of 20

OTHER INFORMATION

For the product itself:

Dust may be irritating to the eyes and respiratory tract.

Elevated temperatures or mechanical action may form vapours, mists or fumes which may be irritating to the eyes and respiratory tract.

Contains:

Additives that are encapsulated in the polymer. Under the normal conditions for processing and use of this polymer the encapsulated additives are not expected to pose any health hazard. However, grinding of the polymer is not recommended without the use of appropriate measures to control exposure (see Section 8 - Engineering Controls).

IARC Classification:

The following ingredients are cited on the lists below: None.

--REGULATORY LISTS SEARCHED--

1 = IARC 1

2 = IARC 2A

3 = IARC 2B

SECTION 12

ECOLOGICAL INFORMATION

The information given is based on data available for the material, the components of the material, and similar materials.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 14 of 20

ECOTOXICITY

Material -- Not expected to be harmful to aquatic organisms.

Material -- Not expected to be harmful to terrestrial organisms.

MOBILITY

Material -- Low solubility and floats and is expected to migrate from water to the land. Expected to partition to sediment and wastewater solids.

PERSISTENCE AND DEGRADABILITY

Biodegradation:

Material -- Expected to be persistent.

Hydrolysis:

Material -- Transformation due to hydrolysis not expected to be significant.

Photolysis:

Material -- Transformation due to photolysis not expected to be significant.

Atmospheric Oxidation:

Material -- Transformation due to atmospheric oxidation not expected to be significant.

BIOACCUMULATION POTENTIAL

Material -- Potential to bioaccumulate is low.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 15 of 20

DISPOSAL METHODS

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

DISPOSAL RECOMMENDATIONS

Suitable routes of disposal are supervised incineration, preferentially with energy recovery, or appropriate recycling methods in accordance with applicable regulations and material characteristics at the time of disposal. Incinerator must be equipped to neutralize or trap hazardous combustion products.

SECTION 14

TRANSPORT INFORMATION

LAND (ADR/RID) : Not Regulated for Land Transport

SEA (IMDG): Not Regulated for Sea Transport according to IMDG-Code

Marine Pollutant: No

AIR (IATA): Not Regulated for Air Transport

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 16 of 20

SECTION 15	REGULATORY INFORMATION
-------------------	-------------------------------

Material is not hazardous according to UN GHS Criteria.

REGULATORY STATUS AND APPLICABLE LAWS AND REGULATIONS

Listed or exempt from listing/notification on the following chemical inventories: TSCA

SECTION 16	OTHER INFORMATION
-------------------	--------------------------

N/D = Not determined, N/A = Not applicable

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS:

Revision Changes:

Section 16: Materials Covered information was modified.

Section 11: Acute Toxicity Table Header information was deleted.

Section 15: EC Classification information was deleted.

Section 11: Acute Toxicity Column Header information was deleted.

Section 11: Dermal Lethality Test Data information was deleted.

Section 11: Oral Lethality Test Data information was deleted.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 17 of 20

Section 11: Inhalation Lethality Test Data information was deleted.

Section 11: Dermal Irritation Test Data information was deleted.

Section 11: Eye Irritation Test Data information was deleted.

Section 05: Hazardous Combustion Products information was modified.

Section 15: EU Labeling - Header information was deleted.

Section 15: EU Inventory Requirements - Header information was modified.

Section 15: EU Graphical Symbols information was deleted.

Section 15: EU Graphical Symbols information was deleted.

Section 15: EU Graphical Symbols information was deleted.

Section 15: EU Indication of Danger information was deleted.

Section 15: EU Indication of Danger information was deleted.

Section 15: EU Indication of Danger information was deleted.

Section 16: Materials Covered information was modified.

Section 11: Chronic Tox - Component - Header information was added.

Section 15: AP Classification Statement information was deleted.

Section 11: Other Health Effects Header information was deleted.

Section 11: Chronic Tox - Component - Header information was deleted.

Section 11: Inhalation Lethality Test Guideline information was added.

Section 11: Oral Lethality Test Guideline information was added.

Section 11: Dermal Lethality Test Guideline information was added.

Section 11: Skin Sensitization Test Data - Header information was added.

Section 11: Respiratory Sensitization Test Comment information was added.

Section 11: Skin Sensitization Conclusion information was added.

Section 11: Skin Sensitization Test Guideline information was added.

Section 11: Skin Sensitization Test Comment information was added.

Section 11: Aspiration Conclusion information was added.

Section 11: Carcinogen Conclusion information was added.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 18 of 20

Section 11: Lactation Conclusion information was added.

Section 11: Mutagen Conclusion information was added.

Section 11: Reproductive Conclusion information was added.

Section 11: Respiratory Sensitization Conclusion information was added.

Section 11: Target Organ Toxicity - Repeat Conclusion information was added.

Section 11: Target Organ Toxicity - Single Conclusion information was added.

Section 11: Carcinogen Test Guideline information was added.

Section 11: Eye Irritation Test Guideline information was added.

Section 11: Lactation Test Guideline information was added.

Section 11: Mutagen Test Guideline information was added.

Section 11: Reproductive Test Guideline information was added.

Section 11: Skin Irritation Test Guideline information was added.

Section 11: Target Organ Toxicity - Repeat Test Guideline information was added.

Section 11: Target Organ Toxicity - Single Test Guideline information was added.

Section 11: Carcinogen Test Comment information was added.

Section 11: Mutagen Test Comment information was added.

Section 11: Reproductive Test Comment information was added.

Section 11: Lactation Test Comment information was added.

Section 11: Target Organ Toxicity - Repeat Test Comment information was added.

Section 11: Target Organ Toxicity - Single Test Comment information was added.

Section 11: Sensitization Test Data - Header information was added.

Section 11: Respiratory Sensitization Test Data - Header information was added.

Section 11: Aspiration Test Data - Header information was added.

Section 11: Carcinogenicity Test Data - Header information was added.

Section 11: Germ Cell Mutagenicity Test Data - Header information was added.

Section 11: Reproductive Toxicity Test Data - Header information was added.

Section 11: Lactation Test Data - Header information was added.

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 19 of 20

Section 11: Specific Target Organ Toxicity Test Data - Header information was added.

Section 11: Target Organ Toxicity - Single Test Data - Header information was added.

Section 11: Target Organ Toxicity - Repeat Test Data - Header information was added.

Section 11: Acute Toxicity Column Header information was added.

Section 11: Other Health Effects Header information was added.

Section 11: Other Health Effects information was added.

Section 01: Indent Secondary Companies Table information was modified.

Section 11: Acute Toxicity Table Header information was added.

Section 11: Inhalation Lethality Test Data information was added.

Section 11: Oral Lethality Test Data information was added.

Section 11: Dermal Lethality Test Data information was added.

Section 11: Dermal Irritation Test Data information was added.

Section 11: Eye Irritation Test Data information was added.

Section 11: Respiratory Sensitization Test Data information was added.

Section 11: Skin Sensitization Test Data information was added.

Section 11: Aspiration Test Data information was added.

Section 11: Mutagen Test Data information was added.

Section 11: Carcinogen Test Data information was added.

Section 11: Reproductive Test Data information was added.

Section 11: Lactation Test Data information was added.

Section 11: Target Organ Toxicity - Single Test Data information was added.

Section 11: Target Organ Toxicity - Repeat Test Data information was added.

Hazard Identification: AP - Hazards Statement - GHS information was added.

Revision Date: 10 Apr 2015

Product Name: EXCEED™ POLYETHYLENE (PPA)

Revision Date: 10 Apr 2015

Page 20 of 20

THIS SDS COVERS THE FOLLOWING MATERIALS: Exceed™ metallocene polyethylene (mPE) resins for which the grade name consists of a Exceed or ECD base polymer designation that may or may not be followed by a suffix referring to an additive package. | Applicable base polymer and additive package designations follow. | Base polymers : | EC1999SS | ECD 377 | EX1999SS | EX9999SS | EXCEED 1012 | EXCEED 1015 | EXCEED 1018 | EXCEED 1023 | EXCEED 1318 | EXCEED 1327 | EXCEED 1518 | EXCEED 2018 | EXCEED 2227 | Possible additive packages : | CA | CJ | DA | EA | EB | EC | ED | FA | HA | HJ | JA | KA | KB | KC | KD | LA | LC | LH | MA | MB | MD | MJ | MK | QB | TA

The information and recommendations contained herein are, to the best of ExxonMobil's knowledge and belief, accurate and reliable as of the date issued. You can contact ExxonMobil to insure that this document is the most current available from ExxonMobil. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, "ExxonMobil" is used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates in which they directly or indirectly hold any interest.

DGN: 4401650KAP (1014532)
