



3M

Cleaning Supplies and Filtration Products

Blue Cleaner Pad

Ideal for heavy-duty scrubbing prior to recoating. Can also be used for heavy-duty spray cleaning or foam scrubbing. Removes dirt, spills and scuffs, leaving a clean surface ready for recoating. Machine speed 175-600 RPM. 5 pads/case.

Stock #	Size	Unit
<i>Cleaner Pad #5300</i>		
456-2098	12"	CA
456-2081	17"	CA
456-2079	19"	CA
456-2083	20"	CA



Black Stripping Pad

Use to remove all finish, sealer, and contaminants from the floor surface. Maintains consistent high-performance throughout the life of the pad. Machine speed 175-600 RPM. 5 pads/case.

Stock #	Size	Unit
<i>Stripping Pad #7200</i>		
456-2072	13"	CA
456-2087	17"	CA
456-2557	19"	CA
456-2086	20"	CA



Red Buffing Pad

Specially designed for spray buffing. Cleans when damp, buffs when dry. Quickly cleans and removes scuff marks while polishing floors to a high gloss. Machine speed 175-600 RPM. 5 pads/case.

Stock #	Size	Unit
<i>Buffing Pad #5100</i>		
456-2100	13"	CA
456-2077	17"	CA
456-2074	19"	CA
456-2094	20"	CA



Green TopLine Autoscrubber Pad

For light scrubbing of floors prior to burnishing. Excellent daily cleaning pad, minimal finish removal. Open construction resists clogging and allows for easy cleaning. Use on automatic floor machines. Machine speed 175-600 RPM. 5 pads/case.


Stock #	Size	Unit
<i>Autoscrubber Pad #5000</i>		
456-2004	17"	CA
456-2093	20"	CA



Tan TopLine Speed Burnishing Pad

Restore gloss to dull floors in a single pass. Optimizes ultra high-speed floor care on a wide variety of floor finishes. Works best on floors with a good base coat. Minimal finish removal. Works best with the 3M™ TopLine Autoscrubber Pad 5000. Machine speed 1500 RPM or above. 5 pads/case.

Stock #	Size	Unit
<i>Burnishing Pad #3200</i>		
456-2097	20"	CA



Pink Eraser Burnishing Pad

Ideal for harder finishes and heavy-traffic floors. Removes black marks in fewer passes than other pads. Retains excellent gloss and image clarity. Excellent durability and minimal finish removal. Machine speed 1500 RPM and above. 5 pads/case.

Stock #	Size	Unit
<i>Burnishing Pad #3600</i>		
456-2136	17"	CA
456-2091	20"	CA



Black High Productivity Stripping Floor Pad

Quickly and thoroughly removes old finish, dirt, and build-up. Unique, open web construction; stripping solution flows through pad to rinse out dirt and reduce loading for increased pad-to-floor contact and more efficient stripping. For heavy finish build-up, quick stripping, and stain removal. Machine speed 175-600 RPM. 5 pads/case.

Stock #	Size	Unit
<i>High Pro Strip Pad #7300</i>		
456-2096	20"	CA



Scotch-Brite™ Hand Pads

A pad for any application including light-duty cleaning to heavy-duty scouring. 6" x 9".

Stock #	Model #	Color	Packaging	Unit
Light-Duty				
456-2018	98	White	20/bx	BX
456-2029	7445	White	60/ca	CA
Medium-Duty				
456-2016	96	Bright Green	20/bx	BX
Heavy-Duty				
456-2009	86	Dark Green	12/bx	BX
456-2028	7440	Tan	40/ca	CA



3M™ Doodlebug™ Pad

Choose the pad that is best suited to your application. Open web easily rinses clean, adding to the life of the pad. 4-5/8"W x 10"L.

Stock #	Model #	Color	Packaging	Unit
Light-Duty				
456-2035	8440	White	5/bx	BX
Medium-Duty				
456-2030	8242	Blue	5/bx	BX
Heavy-Duty				
456-2040	8541	Brown	5/bx	BX
Extra Heavy-Duty				
456-2045	8550	Black	10/bx	BX



3M™ Doodlebug™ Pad Holder

Special grippers to hold pads firmly in place providing easy attachment and changing of pads. Super-tough swivel threads directly onto standard thread handle (sold separately).

Stock #	Model #	Color	Unit
456-2022	6472	Rust/red/orange	EA



Scotch-Brite™ All Purpose Scouring Pad

A versatile, hand-sized pad is ideal for cleaning hot griddles with mirror or highly polished finishes. 4"W x 5.25"L.


Stock #	Model #	Color	Packaging	Unit
456-2008	9000	Blue	40/ca	CA



Scotch-Brite™ Extra Heavy-Duty Pot'N Pan Handler

Replace metal sponges with this rugged pad. Convenient hand size pad is easy to use and easy to rinse clean. Effective on heavily encrusted and grimy equipment. 3.5" x 5".


Stock #	Model #	Color	Packaging	Unit
456-2013	88	Blue	10/bx	BX



Scotch-Brite™ Ultra Stainless Steel Scrubber

A unique combination of a stainless steel scrubber and an urethane holder to provide a more effective cleaning. The urethane holder helps protect fingernails and make scrubbing more comfortable. The scrubber holds and transfers soap and water for easy cleaning and rinsing.

Stock #	Model #	Color	Packaging	Unit
456-2000	87	Blue	18/ca	CA



Scotch-Brite™ Scour Pad

Durable tough coiled fibers make for a longer-lasting pad while open web construction allows food debris to rinse out easily. Perfect for use on stainless steel, glassware, countertops, floors, and more. Not recommended for use on nonstick surfaces, soft or clear plastics, fiberglass, or highly-decorated surfaces. 2.8"W x 4.5"L.

Stock #	Model #	Color	Packaging	Unit
456-2020	2020	Purple	24/ca	CA



Scotch-Brite™ Scrubbing Sponge

Medium abrasive scouring material on one side, absorbent sponge on the other for cleaning walls, tables, fixtures, and countertops. Yellow cellulose sponge with green pad. 3.6"W x 6.1"L.



Stock #	Model #	Color	Packaging	Unit
456-2007	74	Yellow/green	20/ca	CA

Scotch-Brite™ Power Sponge

Two cleaning tools in one—a Scotch-Brite Power Pad combined with a sponge. Up to eight times less abrasive than other medium-duty/heavy-duty commercial scouring products to reduce scratching. Features 3M's unique anti-microbial technology integrated into every fiber. Sponge resists growth of odor-causing bacteria through hundreds of uses. Bow-tie shape fits comfortably in hand for easy scouring. 2.8"W x 4.5"L.



Stock #	Model #	Color	Packaging	Unit
456-2085	3000	Light green/blue	20/ca	CA

Scotch-Brite™ Scrubbing Pads

Same material as Scotch-Brite Hand Pads, but in a convenient, thick, hand-size. Eliminates the need to cut or fold larger pads.

Stock #	Model #	Color	Size	Packaging	Unit
Light-Duty					
456-2050	#9030	White	3.5"W x 5"L	40/ca	CA
Medium-Duty					
456-2071	#9650	Bright Green	3"W x 4.5"L	40/bx	BX



Scotch-Brite™ Greener Clean Non-Scratch Scrub Sponge

Durable, non-scratch scrub sponges made from plants, gives you a sustainable everyday scrub sponge, without compromising performance. 2.7"W x 4.5"L.



Stock #	Model #	Color	Packaging	Unit
456-2021	97033	Tan	3/pk; 8 pk/ca	CA

Scotch-Brite™ Power Pad

Bow-tie shape and unique abrasion combines for faster, easier, and safer scouring. Cleans all types of surfaces including encrusted equipment, sinks, appliances, doors, floors, walls, ceramic tile, and porcelain with less scratching. 3.9"W x 5.5"L.



Stock #	Model #	Color	Packaging	Unit
456-2080	2000	Blue	20/ca	CA

Scotch-Brite™ Lint Rollers

A great way to clean clothing, material, and other surfaces of debris, such as dust or hair. Can aid in the reduction of cross-contamination.

Stock #	Description	Packaging	Unit
Lint Rollers with Handles			
456-2512	Lint Roller, 30 sheets/roll	-	EA
456-2552	Lint Roller Twin Pack, 70 sheets/roll	2/pk; 6 pk/ca	CA
Refills—No Handles			
456-2551	Lint Roller Refill, 60 sheets/roll	-	EA
456-2012	Lint Roller Refill Twin Pack, 100 sheets/roll	2/pk; 4 pk/ca	CA



Oil Quality Test Strips #1010

Will help save you money, by helping you determine whether your shortening is still safe to use—keeping fried food quality high. Easy to use, easy to read, and eliminates guesswork! Works equally well in animal, vegetable, or A/V blend shortenings. Each kit includes one bottle of 3M™ Oil Quality Test Strips and one wall chart. 40 strips/bottle; 4 bottles/case.


Stock # **Unit**
456-2006 CA



Low Range Oil Quality Test Strips #1005

A great way to measure the shortening breakdown in your fryer. Deliver accurate FFA (free fatty acid) concentration ratings from 1 to 2.5%, providing a more precise reading of early oil degradation. These test strips help save money by taking the guesswork out of deciding when to change your oil, so you can get the most out of your supply while maintaining consistent products. They are safe and work in operating temperatures of 325° to 400°F. 40 strips/bottle; 4 bottles/case.

Stock # **Unit**
456-2140 CA



Stainless Steel Aerosol Cleaner & Polish

Remove heavy accumulations of greasy film, oil stains, and food splatter. Spray on and wipe clean. High gloss finish resists fingerprints and streaking. Use also on chrome, laminated plastic, and aluminum. NSF registered. 21.5-oz/can; 12 cans/case.

Stock # **Unit**
456-2500 CN



Safety-Walk™ Slip Resistant General Purpose Treads

Apply in heavy-traffic areas, ramps, loading docks, steps, or flat surfaces of tank trucks to help prevent slips. The diamond-hard mineral top surface has an adhesive backing, and it goes on like tape to a non-porous clean, dry surface. Available in individual treads or rolls. Black.



Stock #	Size	Packaging	Unit
600 Series—Treads			
456-2104	5.5" x 5.5"	50/ca	CA
456-2102	6" x 24"	50/ca	CA
600 Series—Rolls			
456-2107	6" x 60'	60'/rl	RL
456-2106	4" x 60'	60'/rl	RL

Safety-Walk™ Edge Sealer

Keeps edges of the Safety-Walk from curling. It also protects exposed edges from excessive moisture and liquids. 5-oz tube. 12 tubes/case.

Stock # **Unit**
456-2113 TB



Safety-Walk™ Rubber Roller

Rubber hand roller insures proper installation and maximum adhesion through uniform pressure.

Stock # **Unit**
456-2125 EA



Chemical Sorbent Spill Kit Response Pack

Will absorb most aggressive chemicals. The pack is encased in a box which can be used as a warning sign and includes both mini-booms and pads. Absorbs up to 4-gallons of petroleum based liquids. Pack includes three mini-booms, five pads, and one containment bag for temporary storage of used sorbents.

Stock # **Packaging** **Unit**
455-4235 3 kt/ca CA





Nelson-Jameson, Inc.
2400 East Fifth Street
Marshfield, WI 54449

CHANGE SERVICE REQUESTED

PRSRT STD
U.S. Postage
PAID
Marshfield, WI
Permit No. 558

Aqua-Pure™ Valve-In-Head Plastic Sump Filter Housing

For cold water lines only, these transparent filter housings let you know at a glance if the cartridge needs changing. Virtually shatterproof, they carry a 10-year limited warranty. Easy to install with $\frac{3}{4}$ " NPT connections. Use any 9- $\frac{3}{4}$ " high replacement cartridge. Filter housings are shipped with one AP110 dirt/rust filter cartridge, which offers a standard flow rate of 8 gpm. Two-cartridge units available for flow rates to 16 gpm. 4/case.



Stock #	Size	Unit
AP101T Housing		
153-2101	14- $\frac{1}{4}$ "H x 4- $\frac{9}{16}$ " Dia	EA
AP11T Housing		
153-2011	13- $\frac{1}{16}$ "H x 4- $\frac{9}{16}$ " Dia	EA

Aqua-Pure™ Standard Sump Replacement Water Filter

The rigid construction from polypropylene helps capture and retain sediment from within the water being filtered. A standard 2.5" Dia drop-in cartridge with grooved surface.



Stock #	Size	Packaging	Unit
AP110-2 Filter—5 micron			
153-2071	19.5"H x 2.5" Dia	15/ca	CA
AP1001 Filter—1 micron			
153-7024	9.8"H x 2.5" Dia	2/pk	PK

Dirt/Rust Water Filter Cartridges

Made by an exclusive process in which pure white cellulose fibers are permanently arranged in the form of a porous rigid cylinder. The spaces between fibers become gradually smaller toward the center cavity. In this way larger particles are trapped in the outer layers, while at the inner layers small particles are trapped. Only clean water flows up through the cavity into the outlet water stream. Select the cartridge to meet your needs: 5-micron for normal filtration conditions or 50-micron for heavy dirt load. Use for hot or cold water service: maximum temperature for these cartridges is 210°F (99°C). Hot water applications require stainless steel housings. Maximum flow 8 gpm per cartridge. Dimensions: 9- $\frac{3}{4}$ "H x 2- $\frac{1}{2}$ " Dia. 1" centerhole.

NJ619-21



Stock #	Packaging	Unit	Stock #	Packaging	Unit
AP110 Filter—5 micron			AP124 Filter—50 micron		
153-2131	2/pk	PK	153-2141	2/pk	PK
153-2130	36/ca	CA	153-2140	36/ca	CA



Looking for more 3M™ Products?
Whether you are looking for Food Safety Products or Personal Protective Equipment—we have what you need from the brands you trust!

Contact us today for more information.



1-800-826-8302 • nelsonjameson.com
sales@nelsonjameson.com

